

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

LETTING ID: CT090916    CALL ORDER: 001    PROPOSAL ID: T7209    DISTRICT: 07  
 COUNTIES: HILLSBOROUGH, , ,

ROAD NAME: I-4 (SELMON EXPRESSWAY)  
 LIMITS: FROM S OF SELMON EXPRESSWAY TO 7TH AVE AND FROM 7TH AVE TO SR 400

FINPROJ NO(S):	25841515201 (*)	FEDERAL AID NO: ARRA279B	WORK MIX: INTERCHANGE (NEW)
	25841515601	FEDERAL AID NO: N/A	WORK MIX: INTERCHANGE (NEW)
	25841515602	FEDERAL AID NO: N/A	WORK MIX: INTERCHANGE (NEW)
	25841525201	FEDERAL AID NO: 0041218I	WORK MIX: INTERCHANGE (NEW)
	25841525601	FEDERAL AID NO: N/A	WORK MIX: INTERCHANGE (NEW)
	25841525602	FEDERAL AID NO: N/A	WORK MIX: INTERCHANGE (NEW)
	25841535201	FEDERAL AID NO: N/A	WORK MIX: INTERCHANGE (NEW)

TOTAL ROADWAY LENGTH:	0.213	MILES	CONTRACT DAYS: 1818
TOTAL BRIDGE LENGTH:	0.746	MILES	LETTING DATE: 09/16/09
TOTAL PROPOSAL LENGTH:	0.959	MILES	CONTRACT EXECUTION DAYS: 60
			SPECIAL START DATE: N/A
			ACQUIS./FLEXIBLE START TIME: 15 DAYS

PROPOSAL BUDGET ESTIMATE: \$ 446,192,015.00

PROPOSAL PACKAGE FEE: \$8.00

PROPOSAL CONTAINS SECTION ALTERNATES>

DESCRIPTION: A+B Bidding/Incentive-Disincentive

DVD MEDIA

Ordering documents requires a State of Florida vendor number. Register at [www.myfloridamarketplace.com](http://www.myfloridamarketplace.com) to obtain a vendor number. Allow 3-4 days for processing.

All bids must be submitted through [www.bidx.com](http://www.bidx.com). Bidding through BidX requires a Digital ID from [www.bidx.com](http://www.bidx.com). Allow up to 6 days to complete the Digital ID registration.

American Recovery and Reinvestment Act of 2009 (ARRA) Project.

The proposal guarantee to accompany the bid shall be not less than two percent (2%) of the total actual bid.

THERE WILL BE A MANDATORY PRE-BID CONFERENCE FOR THIS PROJECT AT 9:00 AM ON MONDAY, JUNE 15, 2009 AT THE FLORIDA DEPARTMENT OF TRANSPORTATION, DISTRICT 7 HEADQUARTERS, 11201 N. MCKINLEY DRIVE, TAMPA, FL 33612.

THIS PRE-BID CONFERENCE IS MANDATORY BECAUSE OF THE COMPLEXITY OF THE PROJECT. ONLY PLANS AND SPECIFICATIONS WILL BE AVAILABLE PRIOR TO THE PRE-BID CONFERENCE. THE PROSPECTIVE BIDDER SHALL BE PREQUALIFIED ACCORDING TO THE REQUIREMENTS OF FDOT RULE CHAPTER 14-22 AND SECTION 2-1 OF THE 2007 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.

PROPOSALS (BIDDING DOCUMENTS) WILL BE ISSUED ONLY TO THE PROSPECTIVE BIDDERS WHO HAVE ATTENDED THE PRE-BID CONFERENCE AND MET THE FLORIDA DEPARTMENT OF TRANSPORTATION QUALIFICATIONS FOR THIS PROJECT. IT IS SUGGESTED THAT PROSPECTIVE BIDDERS REQUEST PROPOSALS (BIDDING DOCUMENTS) PRIOR TO THE PRE-BID CONFERENCE TO ALLOW FOR PROCESSING.

For the purpose of bidding, the Department has established a maximum budget of \$446,192,015.00. This amount is not the Department's official cost estimate for the work but is the budgetary constraint established for this contract. Submission of a bid under the maximum budget is not a guarantee of contract award and cannot be interpreted as an appropriate or awardable bid amount. For this contract, the Department will reject as non-responsive any bid in which the contractor submits a bid in excess of the maximum budget amount shown above.

During preparation of the bid, if concerns regarding the Department's maximum budget arise, submit a letter of budget concern to Scott Collister, P.E., CPCM, Director of Transportation Development, District Seven, Florida DOT, Fax Number (813) 975-4853 by 8/3/2009. The Department will review the letter of budget concern and determine its next course of action. This process is established to provide the opportunity for bid proposal holders for this contract to express budget constraint issues prior to submission of a bid.

The improvements under this contract consist of two projects which are to be let to construction together, FPID 258415-1-52-01 from south of SR 618 to 7th Avenue, and FPID 258415-2-52-01 from 7th Avenue to S.R. 400. These combined projects will provide a new system to system interchange connection between SR 618 (Lee Roy Selmon Expressway) and SR 400 (I-4). Service access points will include the Port of Tampa, SR 45 (22nd Street) and SR 599 (50th Street). There will also be improvements to SR 618 from west of SR 45 to SR 599.

**NOTE:** This is a cost plus time proposal(A+B). The following sites are cost plus time sites.

SITE	DESCRIPTION	ROAD COST PER DAY	MAXIMUM DAYS
00	Contract Time	\$50000	1713



**Florida Department of Transportation  
District Seven**

**BUILD-FINANCE  
REQUEST FOR PROPOSALS**

**for**

**I-4/Lee Roy Selmon Expressway Connector Interchange  
from the Lee Roy Selmon Expressway to I-4  
Hillsborough County, Florida  
Revised August 28, 2009**

**Financial Project Numbers: 258415-1, 2, & 3  
Federal Aid Project Numbers: ARRA-279-B, ARR1-279-B,  
SFT2-307R & SFT1-322-R  
Contract Number: T7209**

**Mail or Deliver Proposals To:**

Juanita Moore  
Contracts Administration Office  
Florida Department of Transportation  
605 Suwannee Street, MS – 55  
Tallahassee, FL 32399  
Phone: 850-414-4000  
Fax: 850-414-4947  
Email: [contracts.admin@dot.state.fl.us](mailto:contracts.admin@dot.state.fl.us)

## Table of Contents

<b>I.</b>	<b>Introduction .....</b>	<b>1</b>
<b>II.</b>	<b>Schedule of Events .....</b>	<b>1</b>
<b>III.</b>	<b>Threshold Requirements .....</b>	<b>2</b>
	<b>A. Technical Qualifications .....</b>	<b>2</b>
	<b>B. Joint Venture Firm.....</b>	<b>2</b>
	<b>C. Financial Qualifications and Project Financial Plan (“Financial Proposal”) .....</b>	<b>2</b>
	<b>D. Mandatory Pre-Bid Meeting.....</b>	<b>4</b>
<b>IV.</b>	<b>Build-Finance Contract Method of Compensation.....</b>	<b>4</b>
	<b>A. Subarticle 9-5.1, Partial Payment.....</b>	<b>5</b>
	<b>B. Article 9-8, Acceptance and Final Payment.....</b>	<b>7</b>
<b>V.</b>	<b>Disadvantaged Business Enterprise (DBE) Availability Goal Percentage .....</b>	<b>9</b>
<b>VI.</b>	<b>Award of the Contract.....</b>	<b>9</b>

## **I. Introduction**

The Florida Department of Transportation (Department) has issued this Request for Proposals (RFP) to solicit Proposals consisting of (a) competitive Bid Prices and (b) Financial Qualifications and Project Financial Plan from interested Proposers (Build-Finance Firms) for the construction of the I-4/Lee Roy Selmon Expressway Connector Interchange from the Lee Roy Selmon Expressway to I-4 in Hillsborough County. The Financial Qualifications and Project Financial Plan are together collectively referred to herein as the “Financial Proposal.”

The Department has set a Maximum Bid Price of \$446,192,015 and a Maximum Allowable Contract Time of 1818 calendar days for the completion of this project. The determination of the lowest responsible bidder will be pursuant to the A + B formula as more fully set forth in Article 3-1, Special Provisions (*See the project plans and specification package*). Bids received shall be determined non-responsive if either the Maximum Bid Price or the Maximum Allowable Contract Time is exceeded.

The Department has prepared and assembled a complete signed and sealed set of project plans and specifications for this project that include estimated quantities. The plans contain four different structural alternatives. Each Build-Finance Firm is to bid on only one of the structural alternative plan sets. The Standard Specifications for Road and Bridge Construction dated 2007, as amended by contract documents, govern.

A unique aspect of this project is the timetable for the availability of funds the Department has to complete this project. In order to develop a Project Financial Plan, the Build-Finance Firm must consider the Department’s availability of funds as noted in Section IV of this RFP.

Each Build-Finance Firm is required to submit certification of both its Financial Proposal as defined in Section III. C. and its Bid Price for the project.

This project is partially funded by funds designated in the American Recovery and Reinvestment Act of 2009. Accordingly, each Build-Finance Firm will be required to meet the reporting requirements of the Act and otherwise be subject to the Act, as more fully stated in 7-1.11, 9-5.3.3 and 9-8.1, Special Provisions (*See the project plans and specification package*).

## **Description of Work**

The I-4/Lee Roy Selmon Expressway Interchange is a limited-access interchange that extends from the Lee Roy Selmon Expressway north along the west side of 31<sup>st</sup> Street to I-4 in Hillsborough County. The proposed facility is an elevated roadway that includes a series of separate ramps. The attached plans sets include four structural alternatives for constructing the I-4/Lee Roy Selmon Expressway Interchange bridge and ramp structures:

- Steel
- Segmental
- Steel with Bulb T
- Segmental with Bulb T

## **II. Schedule of Events**

The schedule of the remaining events that will take place in the contract award process is shown below. The Department reserves the right to make changes or alterations to the schedule as the Department determines are in the best interests of the public. Build-Finance Firms will be notified sufficiently in advance of any changes or alterations in the schedule. Unless otherwise notified in writing by the Department, the dates indicated below for submission of items or for other actions on the part of a Build-Finance Firm shall constitute absolute deadlines for those activities and failure to fully comply by the time stated shall cause a Build-Finance Firm to be disqualified.

Date	Event
May 27, 2009	Contractor Information Forum (1:30 p.m. local time at the University of South Florida Marshall Student Center, Tampa, FL 33612).
June 8, 2009	Advertisement Date
June 15, 2009	Mandatory Pre-Bid Meeting (9:00 a.m. local time at District Seven Headquarters, 11201 N. McKinley Dr., Tampa, FL 33612).
August 19, 2009	Deadline for submission of questions (10:00 a.m. local time). The Department will review timely submitted questions and determine if a written response is warranted and provide such responses to all Proposers in due course. Responses will be posted at Department's bid question website ( <a href="http://www2.dot.state.fl.us/construction/D7/ConstructionBidQuestions.asp">http://www2.dot.state.fl.us/construction/D7/ConstructionBidQuestions.asp</a> ).
September 16, 2009	Financial Proposal and Bid Price Proposal are both due by 4:00 p.m. local time. Note that <b>the Financial Proposal must be timely submitted to Juanita Moore</b> , Contracts Administration Office, Florida Department of Transportation, 605 Suwannee Street, MS 55, Tallahassee, FL 32399. <b>However, the Bid Price Proposal must be timely submitted to the Department using the Expedite Proposal</b> file by using the internet (Bid Express).
October 15, 2009	Anticipated Posting Date
October 21, 2009	Anticipated Award Date
December 22, 2009	Anticipated Execution Date

### III. Threshold Requirements

#### A. Technical Qualifications

All qualification requirements of Rule 14-22, F.A.C. must be satisfied. Any Build-Finance Firm bidding one of the steel alternates must include at least one contractor on its team prequalified per Rule 14-22, F.A.C. in the work class Major Bridge – Curved Steel Girders. Any Build-Finance Firm bidding one of the segmental alternates must include at least one contractor on its team prequalified per Rule 14-22, F.A.C. in the work class Major Bridge – Concrete Segmental.

#### B. Joint Venture Firm

If a Build-Finance Firm is a joint venture, the parties to the joint venture must execute a Declaration of Joint Venture and Power of Attorney Form (Form 375-020-18) and submit the form to the Department prior to receipt of the bidding document. The form is available at: <http://www.dot.state.fl.us/cc-admin/forms/37502018.pdf>. The proposal shall clearly identify who will be responsible for the individual portions of construction and finance of the work.

#### C. Financial Qualifications and Project Financial Plan (Financial Proposal)

1. On the due date as shown in the Schedule of Events in Section II of this document, each Build-Finance Firm will deliver to the Department five (5) hard copies, and five (5) digital copies of its Financial Proposal (including the Project Financial Plan in Microsoft Excel). The Financial Proposal is required so the Department can be assured that the Build-Finance Firm has sufficient financial resources to construct the project within the allotted contract time, based on the timetable for the availability of funds as noted in this RFP.

The minimum required documents the Build-Finance Firm must submit to the Department for performance of financial due diligence shall include, but may not be limited to, the following:

- a. Project Financial Plan, including at a minimum:
  - i. All financial elements to finance the project as proposed.
  - ii. Provision for all project costs (including the Bid Price).
  - iii. Project Sources and Uses of Funds. A statement sufficient to serve as a cash flow needs analysis.
- b. Audited Financial Statements, prepared in accordance with Generally Accepted Accounting Principles, for the most recent two (2) fiscal years. These Financial Statements must be submitted for each party of the Build-Finance Team providing financial support to the project. Required financial statements shall include:
  - i. Opinion Letter (Auditor's Report)
  - ii. Balance Sheet
  - iii. Income Statement
  - iv. Statement of Changes in Cash Flow
  - v. Footnotes
  - vi. If financial statements are prepared in accordance with principles other than U.S. Generally Accepted Accounting Principles, a letter from a Certified Public Accountant must be included addressing in detail the areas of the financial statements that would be impacted by a conversion to U.S. Generally Accepted Accounting Principles and the financial impact thereof.
- c. If audited financials are not available, unaudited financial statements, prepared in accordance with Generally Accepted Accounting Principles, shall be provided and certified as true, correct and complete by the Chief Financial Officer. Requirements are the same as for Audited Financial Statements except an Opinion Letter is not required.
- d. Interim Financial Statements must be submitted for each party of the Build-Finance Team providing financial support to the project. The statements, prepared in accordance with Generally Accepted Accounting Principles and certified by the entity's Chief Financial Officer, shall be provided for the period since the last Audited Financial Statement. Interim Financial Statements through the most recent completed fiscal quarter should be provided. Requirements are the same as for Audited Financial Statements except an Opinion Letter is not required.
- e. Letter of Commitment or Credit from Financial Institution. If using debt financing as a source of funds or guarantee, a preliminary Letter of Commitment or Credit from the financial institution, must be submitted as part of the Financial Proposal and a final Letter of Commitment or Credit/Statement of No Change or updated firm commitment letter submitted prior to award of contract. The Letter of Commitment or Credit should be specific to the project and meet the amount required as identified in the Project Financial Plan.
- f. Attestation by the Chief Financial Officer as to accuracy and completeness of all financial information provided.
- g. Ownership and Organizational structure of all entities involved in the project, including financial relationships with other entities included or involved in the delivery of this project.



### **Special Provisions as to Method of Compensation.**

**A. Subarticle 9-5.1, Partial Payments, General, of the 2007 Standard Specifications for Road and Bridge Construction (Pages 98 and 99), is deleted and the following is substituted:**

**9-5.1 General:** The Engineer will generate monthly estimates based on the amount of work that the Contractor completes during the month (including delivery of certain materials, as specified herein below). The Engineer will make adjustments in quantities on subsequent monthly estimates and the final estimate.

Partial payments will be made on monthly invoices submitted by the Contractor and accepted by the Engineer, subject to the Cash Availability Schedules. The monthly invoice period shall coincide with the Department's monthly estimate period. The invoice amount shall be a summation of the contract pay item quantities performed over the invoice period multiplied by the corresponding contract pay item unit prices; up to, but not exceeding, the cash available per the appropriate Cash Availability Schedule. The invoices shall be by the appropriate Cash Availability Schedule and based on the lesser of the amount of work the Contractor completes per the monthly estimate and the applicable cash available during the month. The cash available for partial payments will be contingent upon annual legislative appropriation and in accordance with the Cash Availability Schedules shown below.

The cash available for partial payments shown in the Cash Availability Schedules is subject to the availability of funds appropriated annually by the State Legislature and approved by the Governor. The Department shall include partial payments for this project in its tentative five year work program and legislative budget request prepared annually in accordance with Florida Statutes. If the total cash available for partial payments in the Cash Availability Schedules programmed and appropriated in any one fiscal year is not fully paid out during that fiscal year the Department shall include the fund balance in its certified forward request to the State Legislature in order to maintain the availability of those funds. The Department shall ensure that funds for partial payments shown in the Cash Availability Schedules are prioritized ahead of funding for new capacity projects in developing and updating its tentative work program, and that no more than 15% of the total amount of federal and state funds in any fiscal year are obligated for projects administered under Section 334.30, Florida Statutes.

The Build-Finance Firm shall have the right to terminate the Contract in the event the Department fails to make a scheduled and due partial payment due solely to the lack of an annual appropriation to provide the funds shown in the Cash Availability Schedules.

The Department will base the amount of such payments on the total value of the work that the Contractor has performed to the date of the invoice, based on the quantities completed and the Contract prices, less payments previously made and less any retainage withheld, limited to the cash available per the applicable Cash Availability Schedule. The Cash Availability Tables exclude funding for any payments that may be payable in accordance with the provisions of Subarticle 8-13.1, Incentive-Disincentive for A+B, as such payments earned will be processed for payment consistent with the normal monthly and final estimate process. The Cash Availability Schedules also exclude funding for any payments that may be payable in accordance with the provisions of Subarticle(s) 9-2.1.1 Fuels, 9-2.1.2 Bituminous Material, and 9-2.2 Non-Duplication of Payment of the 2007 Standard Specifications for Road and Bridge Construction, as such payments will be processed consistent with the normal monthly and final estimate process. Any reduction in payment due to insufficient cash available shall be included on the next monthly invoice.

The Cash Availability Schedules are based on the funding as originally programmed. If the bid is lower than the total amount of funds available for payment, the appropriate schedule will be modified with the last available funds being reduced.

<b>Cash Availability Schedule: Project Number: 258415-1-52</b>					
Fiscal Year	July 1	October 1	January 1	April 1	Total
2009	\$0	\$0	\$0	\$0	\$0
2010	\$91,380,329	\$0	\$0	\$0	\$91,380,329
2011	\$0	\$0	\$0	\$0	\$0
2012	\$0	\$0	\$0	\$0	\$0
2013	\$80,000,001	\$137,513	\$1,673,611	\$4,992,191	\$86,803,316
2014	\$8,175,854	\$11,315,499	\$15,348,747	\$18,000,089	\$52,840,189
2015	\$19,582,298	\$21,881,937	\$23,096,191	\$22,024,368	\$86,584,794
2016	\$21,225,113	\$20,068,409	\$17,673,127	\$14,517,948	\$73,484,597
2017	\$12,862,606	\$10,081,074	\$7,519,252	\$9,650,466	\$40,113,398
2018	\$3,236,978	\$2,095,439	\$1,285,115	\$3,353,932	\$9,971,464
<b>Total</b>	<b>\$236,463,179</b>	<b>\$65,579,871</b>	<b>\$66,596,043</b>	<b>\$72,538,994</b>	<b>\$441,178,087</b>

<b>Cash Availability Schedule: Project Number: 258415-1-56</b>					
Fiscal Year	July 1	October 1	January 1	April 1	Total
2009	\$0	\$0	\$0	\$0	\$0
2010	\$0	\$0	\$0	\$0	\$0
2011	\$0	\$0	\$0	\$0	\$0
2012	\$0	\$0	\$0	\$0	\$0
2013	\$0	\$4,072	\$49,561	\$147,836	\$201,469
2014	\$242,124	\$332,684	\$425,171	\$445,379	\$1,445,358
2015	\$436,271	\$450,654	\$431,685	\$387,907	\$1,706,517
2016	\$369,639	\$326,796	\$267,101	\$199,656	\$1,163,192
2017	\$161,464	\$104,528	\$64,106	\$167,294	\$497,392
2018	\$0	\$0	\$0	\$0	\$0
<b>Total</b>	<b>\$1,209,498</b>	<b>\$1,218,734</b>	<b>\$1,237,624</b>	<b>\$1,348,072</b>	<b>\$5,013,928</b>

**Grand Total** **\$446,192,015**

Payment will be made to the Contractor by warrant mailed to the Project Specific Escrow Account using a unique vendor number sequence. Complete Form Number 700-011-16B, "Request for Project Specific Escrow Account And Unique Vendor Number Sequence" and submit it to the FDOT Comptroller at 605 Suwannee Street, MS 24, Tallahassee, FL 32399-0424 to set up the unique vendor number sequence. Note: The unique vendor sequence number must be established through the FDOT Comptroller, in coordination with MyFloridaMarketplace/Department of Financial Services, and the Contractor should not contact MyFloridaMarketplace/Department of Financial Services to do so. This Project Specific Escrow Account payment process shall be irrevocable unless a mutual written request to the Department (using Form Number 700-011-17B, "Request for Direct Payment to firm's Primary Vendor") is made by the Contractor, its Surety and its Lender, and thereafter approved by the Department.

Retainage will not be withheld until the percent of allowable Contract time used exceeds 75%. From that time forward, the Department will withhold retainage of 10% of the amount due on the current estimate as retainage when the percent of allowable Contract time used exceeds the percent of Contract amount earned by more than 15%. Contract amount is defined as the original Contract amount adjusted by approved supplemental agreements. Contract time is defined as the original Contract time adjusted by approved Contract time extensions.

Retainage will be determined for each FPID (job) on multiple job Contracts. The Department will not accept Securities, Certificates of Deposit or Letters of Credit as a replacement for retainage. Amounts withheld will be paid after final acceptance and in accordance with the Cash Availability Schedule.

#### **9-5.1.1 Prompt Payment Law**

The Department has 10 working days from the date the monthly progress invoice or quarterly invoice is received by the Department to inspect the work. The Department has 20 days to deliver a request for payment (voucher) to the Department of Financial Services. The 20 days are measured from the date the invoice is received and the work is inspected and approved. Invoices will be reduced for amounts invoiced in excess of the amounts earned per the monthly progress estimates as outlined in 9-5.1. Invoices will also be reduced for amounts invoiced in excess of the cash available per the Cash Availability Schedules as outlined in 9-5.1.

If a payment is not available within 40 days, a separate interest penalty at a rate as established pursuant to Section 55.03(1), F.S., will be due and payable, in addition to the invoice amount, to the Contractor. Interest penalties of less than one (1) dollar will not be enforced unless the Contractor requests payment. Invoices returned to the Contractor because of Contractor preparation errors may result in a delay in payment. The invoice payment requirements do not start until a properly completed invoice is accepted by the Department.

A Vendor Ombudsman has been established within the Department of Financial Services. The duties of this individual include acting as an advocate for contractors/vendors who may be experiencing problems in obtaining timely payment(s) from a state agency. The Vendor Ombudsman may be contacted at (850) 413-5516 or by calling the Department of Financial Services Hotline at 1-877-693-5236.

#### **B. Article 9-8, Acceptance and Final Payment, of the Supplemental Specifications, 2007 Standard Specifications for Road and Bridge Construction, is deleted and the following is substituted:**

**9-8.1 Acceptance and Final Payment Documents:** Whenever the Contractor has completely performed the work provided for under the Contract and the Engineer has performed a final inspection and made final acceptance (as provided in 5-10 and 5-11), and subject to the terms of 8-11, the Engineer will prepare a final estimate showing the value of the work as soon as the Engineer makes the necessary measurements and computations. The Engineer will correct all prior estimates in the final estimate.

Following final acceptance (in accordance with 5-10 and 5-11), payment will be made based on quarterly invoices submitted by the Contractor for an amount equal to that quarter's cash available shown in the Cash Availability Schedule(s), plus any prior quarter's cash not previously paid. The Department will pay the invoice, less any sums that the Department may have deducted or retained under the provisions of the Contract, as soon as practicable after final acceptance of the work along with all executed supplemental agreements received after final acceptance, subject to the cash available per the Cash Availability Schedule(s).

If the Contractor fails to furnish all required Contract Documents as listed in (a) through (g) below within 90 days of the Department's offer of final payment subject to the Cash Availability Schedule(s), or request for refund of overpayment, the Department may suspend the Contractor's Certificate of Qualification under the provisions of Florida Administrative Code 14-22.

a. The Contractor has agreed in writing to accept the balance due or refund the overpayment, as determined by the Department, as full settlement of his account under the Contract and of all claims in connection therewith, or the Contractor has, through the use of the Qualified Acceptance Letter, accepted the balance due or refunded the overpayment, as determined by the Department, with the stipulation that his acceptance of such payment or the making of such refund does not constitute any bar, admission, or estoppel, or have any effect as to those payments in dispute or the subject of a pending claim between the Contractor and the Department. To receive payment based on a Qualified Acceptance Letter, define in writing the dispute or pending claim with full particulars of all items of all issues in dispute, including itemized amounts claimed for all particulars of all items, and submit it as part of the Qualified Acceptance Letter. The Contractor further agrees, by submitting a Qualified Acceptance Letter that any pending or future arbitration claim or suit is limited to those particulars, including the itemized amounts, defined in the original Qualified Acceptance Letter, and that he will commence with any such arbitration claim or suit within 820 calendar days from and after the time of final acceptance of the work and that his failure to file a formal claim within this period constitutes his full acceptance of the Engineer's final estimate and offer of final payment subject to the Cash Availability Schedule. The overpayment refund check from the Contractor, if required, will be considered a part of any Acceptance Letter executed.

b. The Contractor has properly maintained the project, as specified hereinbefore.

c. The Contractor has furnished a sworn affidavit to the effect that the Contractor has paid all bills and no suits are pending (other than those exceptions listed, if any) in connection with work performed under the Contract and that the Contractor has not offered or made any gift or gratuity to, or made any financial transaction of any nature with, any employee of the Department in the performance of the Contract. Include with the listed tort liability exceptions, if any, evidence of adequate insurance coverage as required in 7-13.

d. The surety on the Contract bond consents, by completion of their portion of the affidavit and surety release subsequent to the Contractor's completion of his portion, to final payment to the Contractor and agrees that the making of such payment does not relieve the surety of any of its obligations under the bond.

e. The Contractor has complied with and settled all requirements pertaining to any wage-rate provisions.

f. The Contractor has furnished all required mill tests and analysis reports to the Engineer.

g. The Contractor has furnished the Construction Compliance with Specifications and Plans Certification. Provide the Engineer with a notarized final certification of compliance with the requirements of Section 105 to accompany the final estimate. Certification must be on a form provided by the Engineer.

**9-8.2 Review of Engineer's Final Estimate:** The Department may review the Engineer's final estimate and make changes as necessary. If changes are made, the Contractor will be so notified in writing in the "Notification of Findings Due to Additional Review". This notification letter will detail the changes made as a result of the review, and will stipulate the actions to be taken by the Department and those required by the Contractor. The issuance of a "Notification of Findings Due to Additional Review" will not impact the requirements of 9-8.1, above. Complete the required actions and return the signed notification to the Department within the timeframe specified in 9-8.1. If the notification is received after the time specified in 9-8.1 has expired, return to the Department within 30 days signifying agreement or disagreement with the findings. For disagreement items, provide a full explanation including the item(s) and amount. For any claim or part of a claim that pertains solely to the "Notification of Findings Due to Additional Review" disputes, submit full and complete claim documentation as described in 5-12.3 as to such claim dispute issues within 90 days of receipt of the notification. Failure to return the signed notification or to

furnish such claim documentation within the time frames specified may result in suspension of the Contractor's Certificate of Qualification under the provisions of Florida Administrative Code 14-22.

## **V. Disadvantaged Business Enterprise (DBE) Availability Goal Percentage**

### **A. DBE Availability Goal Percentage**

The Department of Transportation has an overall eight point one percent (8.1%) race-neutral DBE goal. This means that the State's goal is to spend at least 8.1% of the highway dollars with Certified DBEs as either prime contractors or subcontractors. Race-neutral means that the Department believes that the 8.1% overall goal can be achieved through the normal competitive procurement process. The Department has reviewed this project and assigned a DBE availability goal shown on the bid blank/contract front page under "% DBE Availability Goal". Although not a contract requirement, the Department believes that this DBE percentage can realistically be achieved on this project based on the number of DBEs associated with the different types of work that will be required.

Under Section 49 Code of Federal Regulations Part 26, if the 8.1% goal is not achieved, the Department may be required to return to a race-conscious program where goals are imposed on individual contracts. The Department encourages all Build-Finance Firms to actively pursue obtaining bids and quotes from Certified DBEs.

### **B. Anticipated DBE Participation Statement**

The Department is reporting to the FHWA the planned commitments to use DBEs. This information is being collected through the Anticipated DBE Participation Statement. This Statement shall be submitted to the District Procurement Officer who will then submit it electronically to the Equal Opportunity Office. Although these statements will not become a mandatory part of the contract, they will assist the Department in tracking and reporting planned or estimated DBE utilization.

## **VI. Award of the Contract**

The Department is not obligated to award the contract and the Department may reject all proposals. If awarded, the basis of the award will be as stated in Article 3-2 of the 2007 Standard Specifications for Road and Bridge Construction, as amended for this project. The Financial Proposal submitted by the Build-Finance Firm must also meet all the stipulated requirements and receive an evaluation rating of "passed".

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
SECTION 0001 STRUCTURES				
	0103 1 4	TEMPORARY WORK STRUCTURE, PROJECT NUMBER 258415-1-52-01 (25841515201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841525201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0110 12 1	HYDRODEMOLITION, REMOVAL OF DECK SURFACE	SY	2,540.000
	0400 2 10	CONCRETE CLASS II, APPROACH SLABS	CY	1,396.000
	0400 4 4	CONCRETE CLASS IV, SUPERSTRUCTURE	CY	5,337.400
	0400 4 5	CONCRETE CLASS IV, SUBSTRUCTURE	CY	1,742.000
	0400 4 25	CONCRETE CLASS IV, MASS, SUBSTRUCTURE	CY	751.800
	0400 9	BRIDGE DECK GROOVING & PLANING, DECK 8.5">	SY	19,892.000
	0400143	CLEANING & COATING CONCRETE SURFACE, CLASS 5	SF	22,442.000
	0400147	COMPOSITE NEOPRENE PADS	CF	74.600
	0415 1 4	REINFORCING STEEL - SUPERSTRUCTURE	LB	1,373,467.000
	0415 1 5	REINFORCING STEEL- SUBSTRUCTURE	LB	462,798.000
	0415 1 9	REINFORCING STEEL- APPROACH SLABS	LB	304,774.000
	0450 1 2	PRESTRESSED BEAMS, TYPE III	LF	3,505.000
	0450 1 3	PRESTRESSED BEAMS, TYPE IV	LF	5,283.000
	0450 1 4	PRESTRESSED BEAMS, TYPE V	LF	759.000
	0450 1202	PREST BEAMS, TYPE III, MODIFIED	LF	264.000
	0450 4 2	PRESTRESSED BEAM- FL U-BEAM, 54"	LF	688.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 35 8	STEEL PILING, HP 14 X 117	LF	7,260.000
	0455 88 3	DRILLED SHAFT, 36" DIA	LF	2,993.000
	0455 88 5	DRILLED SHAFT, 48" DIA	LF	363.000
	0455 88 8	DRILLED SHAFT, 54" DIA	LF	365.000
	0455111	CORE-PILOT HOLE, DRILLED SHAFT EXCAVATION	LF	4,102.000
	0455120 4	PILE POINT PROTECTION, HP 14" X 117"	EA	175.000
	0455122 3	EXCAVATION UNCLASSIFIED SHAFT, 36" DIA	LF	2,196.000
	0455122 5	EXCAVATION UNCLASSIFIED SHAFT, 48" DIA	LF	409.000
	0455122 8	EXCAVATION UNCLASSIFIED SHAFT, 54" DIA	LF	388.000
	0455133 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	14,144.000
	0455142	CROSSHOLE SONIC LOGGING	EA	36.000
	0455144 8	TEST PILES - STEEL, HP 14 x 117	LF	370.000
	0458 1 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	2,094.000
	0459 71	PILES, POLYETHYLENE SHEETING	SY	741.000
	0460 2 1	STRUCT STEEL, CARBON (25841515201)	LS	1.000
	0460 2 1	STRUCT STEEL, CARBON (25841515201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841515201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841515201)	LS	1.000
	0506 2	BRIDGE DRAINAGE PIPE	LF	622.000
	0506 3	BRIDGE DRAINS	EA	11.000
	0521 5 1	CONCRETE TRAFFIC RAILING, BRIDGE 32" F - SHAPE	LF	6,821.000
	0521 5 2	CONCRETE TRAFFIC RAILING, BRIDGE 42" F - SHAPE	LF	1,068.000
	0521 5 5	CONCRETE TRAFFIC RAILING, BRIDGE, 42" VERTICAL FACE	LF	329.000
	0524 2 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	1,849.000
	0560 1	PAINTING STRUCTURAL STEEL (25841515201)	LS	1.000
	0560 1	PAINTING STRUCTURAL STEEL (25841515201)	LS	1.000
AA1 SECTION 0002 STRUCTURES				
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0400 2 10	CONCRETE CLASS II, APPROACH SLABS	CY	657.000
	0400 3 20	CONC CLASS III, SEAL	CY	5.100
	0400 4 4	CONCRETE CLASS IV, SUPERSTRUCTURE	CY	45,735.400







**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0455 88 3	DRILLED SHAFT, 36" DIA	LF	51,399.000
	0455 88 19	DRILLED SHAFT, 90" DIA	LF	51.000
	0455111	CORE-PILOT HOLE, DRILLED SHAFT EXCAVATION	LF	70,199.000
	0455122 3	EXCAVATION UNCLASSIFIED SHAFT, 36" DIA	LF	52,918.000
	0455122 19	EXCAVATION UNCLASSIFIED SHAFT, 90" DIA	LF	54.000
	0455133 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	283,711.000
	0455133 3	SHEET PILING STEEL, F&I PERMANENT	SF	802.000
	0455142	CROSSHOLE SONIC LOGGING	EA	105.000
	0458 1 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	17.000
	0458 1 13	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I MODULAR	LF	2,933.000
	0459 71	PILES, POLYETHYLENE SHEETING	SY	1,179.000
	0461113 14	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 751-1000KIPS	EA	1.000
	0461113 15	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1000-1250 KIPS	EA	5.000
	0461113 16	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1251-1500 KIPS	EA	8.000
	0461113 17	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1501-1750 KIPS	EA	18.000
	0461113 18	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1751-2000 KIPS	EA	18.000
	0461113 19	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, >= 2001KIPS	EA	47.000
	0461114 12	MULTIROTATIONAL BEARING ASSEM EXP, F&I, 251- 500KIPS	EA	12.000
	0461114 13	MULTIROTATIONAL BEARING ASSEM EXP, F&I, 501- 750KIPS	EA	28.000
	0461114 14	MULTIROTATIONAL BEARING ASSEM EXP, F&I, 751- 1000KIPS	EA	41.000
	0461114 15	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I, 1000-1250KIPS	EA	20.000
	0461114 16	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I, 1251-1500KIPS	EA	10.000
	0461114 17	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I,1501-1750KIP	EA	6.000
	0461114 18	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I,1751-2000KIP	EA	7.000
	0461114 19	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I, >=2001KIPS	EA	34.000
	0462 2 11	POST TENSIONING TENDONS, SUPERSTRUCTURE STRAND	LB	9,032,834.000
	0462 2 12	POST TENSIONING TENDONS, SUPERSTRUCTURE BAR	LB	867,802.000
	0506 2	BRIDGE DRAINAGE PIPE	LF	23,620.000
	0506 3	BRIDGE DRAINS	EA	312.000
	0521 5 1	CONCRETE TRAFFIC RAILING, BRIDGE 32" F - SHAPE	LF	49,575.000
	0521 5 2	CONCRETE TRAFFIC RAILING, BRIDGE 42" F - SHAPE	LF	15,162.000
	0521 5 3	CONCRETE TRAFFIC RAILING, BRIDGE, 32" F - SHAPE, MEDIAN, DOUBLE FACE	LF	1,151.000
	0521 8 1	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, 32" F SHAPE	LF	3,676.000
	0521 8 2	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, 42" F SHAPE	LF	53.000
	0521 8 20	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, SPECIAL	LF	2,691.000
	0524 2 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	1,299.000
	0530 3 3	RIPRAP, RUBBLE, BANK AND SHORE	TN	41.300
	0548 12	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER	SF	288,627.000
	0548 13	RETAINING WALL SYSTEM, TEMPORARY, EXCLUDING BARRIER	SF	6,984.000
	0563 4	ANTI-GRAFFITI COATING, NON-SACRIFICIAL	SF	4,061.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841525201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841525201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841525201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841525201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841535201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841525201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841535201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841525201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000
AA3 SECTION 0004 STRUCTURES				
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0400 2 10	CONCRETE CLASS II, APPROACH SLABS	CY	655.500
	0400 3 20	CONC CLASS III, SEAL	CY	5.100
	0400 4 4	CONCRETE CLASS IV, SUPERSTRUCTURE	CY	47,138.400
	0400 4 5	CONCRETE CLASS IV, SUBSTRUCTURE	CY	935.700
	0400 4 8	CONC CLASS IV, BULKHEAD	CY	41.300
	0400 4 11	CONC CLASS IV, RETAINING WALLS	CY	190.290
	0400 4 25	CONCRETE CLASS IV, MASS, SUBSTRUCTURE	CY	32,435.000
	0400 9	BRIDGE DECK GROOVING & PLANING, DECK 8.5">	SY	159,365.000
	0400147	COMPOSITE NEOPRENE PADS	CF	506.700
	0415 1 3	REINFORCING STEEL- RETAINING WALL	LB	43,041.000
	0415 1 4	REINFORCING STEEL - SUPERSTRUCTURE	LB	13,872,252.000
	0415 1 5	REINFORCING STEEL- SUBSTRUCTURE	LB	9,060,687.000
	0415 1 8	REINFORCING STEEL- BULKHEAD	LB	4,225.000
	0415 1 9	REINFORCING STEEL- APPROACH SLABS	LB	109,014.000
	0450 1 72	PRESTRESSED BEAMS, BULB T - 72"	LF	29,201.000
	0450 1 78	PRESTRESSED BEAMS, BULB T - 78"	LF	24,296.000
	0451 70	PREST SOIL ANCHORS	EA	390.000
	0451 70 1	PRESTRESSED SOIL ANCHOR, PERFORMANCE TEST	EA	39.000
	0451 70 2	PRESTRESSED SOIL ANCHOR, CREEP TEST	EA	20.000
	0455 14 3	CONCRETE SHEET PILING, 10"X30"	LF	3,150.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841535201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841525201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841525201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841535201)	LS	1.000
	0455 88 3	DRILLED SHAFT, 36" DIA	LF	47,624.000
	0455 88 5	DRILLED SHAFT, 48" DIA	LF	1,876.000
	0455111	CORE-PILOT HOLE, DRILLED SHAFT EXCAVATION	LF	63,509.000
	0455122 3	EXCAVATION UNCLASSIFIED SHAFT, 36" DIA	LF	49,043.000
	0455122 5	EXCAVATION UNCLASSIFIED SHAFT, 48" DIA	LF	2,166.000
	0455133 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	300,810.000
	0455133 3	SHEET PILING STEEL, F&I PERMANENT	SF	2,607.000
	0455142	CROSSHOLE SONIC LOGGING	EA	101.000
	0458 1 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	1,987.000
	0458 1 12	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I STRIP SEAL	LF	1,176.000
	0458 1 13	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I MODULAR	LF	1,054.000
	0459 71	PILES, POLYETHYLENE SHEETING	SY	2,857.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841515201)	LS	1.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

**CALL ORDER: 001      PROPOSAL ID: T7209**

<b>ALT</b>	<b>ITEM NO.</b>	<b>DESCRIPTION</b>	<b>UNITS</b>	<b>QUANTITY</b>
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841525201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841515201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841515201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841515201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841515201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841515201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841515201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841515201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841525201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841535201)	LS	1.000
	0460 2 2	STRUCT STEEL, LOW ALLOY (25841535201)	LS	1.000
	0460 2 15	STRUCT STEEL, MISCELLANEOUS (25841525201)	LS	1.000
	0460 2 15	STRUCT STEEL, MISCELLANEOUS (25841525201)	LS	1.000
	0461113 12	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 251-500 KIPS	EA	4.000
	0461113 13	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 501-750KIPS	EA	2.000
	0461113 14	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 751-1000KIPS	EA	8.000
	0461113 15	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1000-1250 KIPS	EA	26.000
	0461113 16	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1251-1500 KIPS	EA	33.000
	0461113 17	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1501-1750 KIPS	EA	21.000
	0461113 18	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1751-2000 KIPS	EA	7.000
	0461113 19	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, >= 2001KIPS	EA	2.000
	0461114 12	MULTIROTATIONAL BEARING ASSEM EXP, F&I, 251- 500KIPS	EA	99.000
	0461114 13	MULTIROTATIONAL BEARING ASSEM EXP, F&I, 501- 750KIPS	EA	57.000
	0461114 14	MULTIROTATIONAL BEARING ASSEM EXP, F&I, 751- 1000KIPS	EA	22.000
	0461114 15	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I, 1000-1250KIPS	EA	31.000
	0461114 16	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I, 1251-1500KIPS	EA	33.000
	0461114 17	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I,1501-1750KIP	EA	5.000
	0461114 18	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I,1751-2000KIP	EA	4.000
	0461114 19	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I, >=2001KIPS	EA	4.000
	0462 2 11	POST TENSIONING TENDONS, SUPERSTRUCTURE STRAND	LB	39,109.000
	0462 2 13	POST TENSIONING TENDONS, SUBSTRUCTURE STRAND	LB	26,240.000
	0506 2	BRIDGE DRAINAGE PIPE	LF	17,370.000
	0506 3	BRIDGE DRAINS	EA	257.000
	0521 5 1	CONCRETE TRAFFIC RAILING, BRIDGE 32" F - SHAPE	LF	52,388.000
	0521 5 2	CONCRETE TRAFFIC RAILING, BRIDGE 42" F - SHAPE	LF	12,284.000
	0521 5 3	CONCRETE TRAFFIC RAILING, BRIDGE, 32" F - SHAPE, MEDIAN, DOUBLE FACE	LF	852.000
	0521 8 1	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, 32" F SHAPE	LF	3,785.000
	0521 8 2	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, 42" F SHAPE	LF	53.000
	0521 8 20	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, SPECIAL	LF	2,740.000
	0524 2 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	1,996.000
	0548 12	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER	SF	293,916.000
	0548 13	RETAINING WALL SYSTEM, TEMPORARY, EXCLUDING BARRIER	SF	6,984.000
	0563 4	ANTI-GRAFFITI COATING, NON-SACRIFICIAL	SF	4,036.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841525201)	LS	1.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841525201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841535201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841535201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000
AA4 SECTION	0005	STRUCTURES		
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (25841515201)	LS	1.000
	0400 2 10	CONCRETE CLASS II, APPROACH SLABS	CY	586.800
	0400 3 20	CONC CLASS III, SEAL	CY	10.300
	0400 4 4	CONCRETE CLASS IV, SUPERSTRUCTURE	CY	16,219.300
	0400 4 5	CONCRETE CLASS IV, SUBSTRUCTURE	CY	896.800
	0400 4 8	CONC CLASS IV, BULKHEAD	CY	41.300
	0400 4 11	CONC CLASS IV, RETAINING WALLS	CY	190.290
	0400 4 25	CONCRETE CLASS IV, MASS, SUBSTRUCTURE	CY	26,945.900
	0400 8 22	CONCRETE CLASS V, SUPER STRUCTURE CLOSURE JOINT	CY	1,689.100
	0400 8 39	CONCRETE CLASS V, PRECAST SEGMENTAL SUPERSTRUCTURE	CY	57,805.700
	0400 9	BRIDGE DECK GROOVING & PLANING, DECK 8.5">	SY	155,950.000
	0400 16 22	CONCRETE, CLASS VI, SUPERSTRUCTURE - CLOSURE JOINT	CY	52.100
	0400 16 39	CONCRETE CLASS VI, PRECAST SEG SUPERST	CY	20,603.300
	0400147	COMPOSITE NEOPRENE PADS	CF	864.200
	0415 1 3	REINFORCING STEEL- RETAINING WALL	LB	43,041.000
	0415 1 4	REINFORCING STEEL - SUPERSTRUCTURE	LB	16,814,354.000
	0415 1 5	REINFORCING STEEL- SUBSTRUCTURE	LB	8,138,084.000
	0415 1 8	REINFORCING STEEL- BULKHEAD	LB	4,225.000
	0415 1 9	REINFORCING STEEL- APPROACH SLABS	LB	113,824.000
	0450 1 72	PRESTRESSED BEAMS, BULB T - 72"	LF	29,201.000
	0450 1 78	PRESTRESSED BEAMS, BULB T - 78"	LF	24,296.000
	0451 70	PREST SOIL ANCHORS	EA	390.000
	0451 70 1	PRESTRESSED SOIL ANCHOR, PERFORMANCE TEST	EA	39.000
	0451 70 2	PRESTRESSED SOIL ANCHOR, CREEP TEST	EA	20.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841535201)	LS	1.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841515201)	LS	1.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841515201)	LS	1.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841515201)	LS	1.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841515201)	LS	1.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841515201)	LS	1.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841515201)	LS	1.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841515201)	LS	1.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841515201)	LS	1.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841515201)	LS	1.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841515201)	LS	1.000
	0452 70	PRECAST SEGMENT PRODUCTION (25841535201)	LS	1.000
	0455 14 3	CONCRETE SHEET PILING, 10"X30"	LF	3,150.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841535201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841515201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841525201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841525201)	LS	1.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (25841535201)	LS	1.000
	0455 88 3	DRILLED SHAFT, 36" DIA	LF	52,841.000
	0455 88 19	DRILLED SHAFT, 90" DIA	LF	51.000
	0455111	CORE-PILOT HOLE, DRILLED SHAFT EXCAVATION	LF	71,477.000
	0455122 3	EXCAVATION UNCLASSIFIED SHAFT, 36" DIA	LF	55,085.000
	0455122 19	EXCAVATION UNCLASSIFIED SHAFT, 90" DIA	LF	54.000
	0455133 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	294,898.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0455133 3	SHEET PILING STEEL, F&I PERMANENT	SF	802.000
	0455142	CROSSHOLE SONIC LOGGING	EA	104.000
	0458 1 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	1,674.000
	0458 1 12	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I STRIP SEAL	LF	557.000
	0458 1 13	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I MODULAR	LF	1,757.000
	0459 71	PILES, POLYETHYLENE SHEETING	SY	2,324.000
	0461113 14	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 751-1000KIPS	EA	1.000
	0461113 15	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1000-1250 KIPS	EA	5.000
	0461113 16	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1251-1500 KIPS	EA	8.000
	0461113 17	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1501-1750 KIPS	EA	18.000
	0461113 18	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, 1751-2000 KIPS	EA	17.000
	0461113 19	MULTIROTATIONAL BEARING ASSEM-FIXED, F&I, >= 2001KIPS	EA	43.000
	0461114 12	MULTIROTATIONAL BEARING ASSEM EXP, F&I, 251- 500KIPS	EA	12.000
	0461114 13	MULTIROTATIONAL BEARING ASSEM EXP, F&I, 501- 750KIPS	EA	27.000
	0461114 14	MULTIROTATIONAL BEARING ASSEM EXP, F&I, 751- 1000KIPS	EA	40.000
	0461114 15	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I, 1000-1250KIPS	EA	18.000
	0461114 16	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I, 1251-1500KIPS	EA	10.000
	0461114 17	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I,1501-1750KIP	EA	6.000
	0461114 18	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I,1751-2000KIP	EA	7.000
	0461114 19	MULTIROTATIONAL BEARING ASSEM-EXPANSION,F&I, >=2001KIPS	EA	29.000
	0462 2 11	POST TENSIONING TENDONS, SUPERSTRUCTURE STRAND	LB	6,750,603.000
	0462 2 12	POST TENSIONING TENDONS, SUPERSTRUCTURE BAR	LB	767,748.000
	0462 2 13	POST TENSIONING TENDONS, SUBSTRUCTURE STRAND	LB	23,204.000
	0506 2	BRIDGE DRAINAGE PIPE	LF	21,901.000
	0506 3	BRIDGE DRAINS	EA	320.000
	0521 5 1	CONCRETE TRAFFIC RAILING, BRIDGE 32" F - SHAPE	LF	49,956.000
	0521 5 2	CONCRETE TRAFFIC RAILING, BRIDGE 42" F - SHAPE	LF	15,140.000
	0521 5 3	CONCRETE TRAFFIC RAILING, BRIDGE, 32" F - SHAPE, MEDIAN, DOUBLE FACE	LF	891.000
	0521 8 1	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, 32" F SHAPE	LF	3,676.000
	0521 8 2	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, 42" F SHAPE	LF	53.000
	0521 8 20	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, SPECIAL	LF	2,691.000
	0524 2 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	1,420.000
	0530 3 3	RIPRAP, RUBBLE, BANK AND SHORE	TN	41.300
	0548 12	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER	SF	289,074.000
	0548 13	RETAINING WALL SYSTEM, TEMPORARY, EXCLUDING BARRIER	SF	6,984.000
	0563 4	ANTI-GRAFFITI COATING, NON-SACRIFICIAL	SF	4,036.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841535201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841515201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841525201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841525201)	LS	1.000
	0715 50	LIGHTING, INSIDE BOX GIRDER (25841535201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841525201)	LS	1.000
SECTION 0006 ROADWAY				
	0120 72	GRAVEL FILL	CY	440.000
	0160 4	TYPE B STABILIZATION	SY	4,118.000
	0285702	OPTIONAL BASE, BASE GROUP 02	SY	3,265.000
	0519 78	BOLLARDS	EA	12.000
	0522 1	SIDEWALK CONCRETE, 4" THICK	SY	28.000
	0522 2	SIDEWALK CONCRETE, 6" THICK	SY	434.000
	0524 2 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	564.000
	0542 70	BUMPER GUARDS, CONCRETE	EA	2.000
	0908350 1	FIBER REINFORCED CONCRETE PAVEMENT, 11" AVE THICKNESS	SY	728.000
	0908350 2	FIBER REINFORCED CONCRETE PAVEMENT, 14" AVE THICKNESS	SY	2,454.000
AA1 SECTION 0007 ROADWAY				
	0101 1	MOBILIZATION (25841525201)	LS	1.000
	0101 1	MOBILIZATION (25841515201)	LS	1.000
	0102 1	MAINTENANCE OF TRAFFIC (25841525201)	LS	1.000
	0102 1	MAINTENANCE OF TRAFFIC (25841515201)	LS	1.000
	0102 2 1	SPECIAL DETOUR 1 (25841515201)	LS	1.000
	0102 2 1	SPECIAL DETOUR 1 (25841525201)	LS	1.000
	0102 2 2	SPECIAL DETOUR 2 (25841515201)	LS	1.000
	0102 14	TRAFFIC CONTROL OFFICER	MH	6,049.000
	0102 60	WORK ZONE SIGN	ED	467,434.000
	0102 61	BUSINESS SIGN	EA	11.000
	0102 71 13	BARRIER WALL, TEMPORARY, F&I, LOW PROFILE, CONCRETE	LF	544.000
	0102 71 14	BARRIER WALL, TEMPORARY, F&I, TYPE K	LF	21,378.000
	0102 71 24	BARRIER WALL, TEMPORARY, RELOCATE, TYPE K	LF	51,422.000
	0102 74 1	BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM	ED	875,461.000
	0102 74 2	BARRICADE, TEMPORARY, TYPE III, 6'	ED	72,390.000
	0102 76	ADVANCE WARNING ARROW PANEL	ED	7,675.000
	0102 77	HIGH INTENSITY FLASHING LIGHTS, TEMP, TYPE B	ED	100,427.000
	0102 78	REFLECTIVE PAVEMENT MARKER, TEMPORARY	EA	18,693.000
	0102 79	LIGHTS, BARRIER WALL MOUNT, TEMP, TYPE C, STEADY BURN	ED	129,493.000
	0102 89 7	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	47.000
	0102 99	CHANGEABLE-VARIABLE MESSAGE SIGN, TEMPORARY	ED	10,037.000
	0102107	TEMPORARY TRAFFIC DETECTION, INTERSECT	DA	1,140.000
	0102150 1	PORTABLE REGULATORY, SIGN	ED	5,948.000
	0102150 2	RADAR SPEED DISPLAY UNIT	ED	5,948.000
	0104 1	ARTIFICIAL COVERINGS FOR EROSION CONTROL	SY	34,999.000
	0104 7	SEDIMENT BASIN	EA	1.000
	0104 10 2	SYNTHETIC BALES	LF	2,663.000
	0104 11	FLOATING TURBIDITY BARRIER	LF	657.000
	0104 12	STAKED TURBIDITY BARRIER	LF	381.000
	0104 13 1	STAKED SILT FENCE, TYPE III	LF	267,060.000
	0104 13 2	STAKED SILT FENCE, TYPE IV	LF	7,230.000
	0104 15	SOIL TRACKING PREVENTION DEVICE	EA	26.000
	0104 16	ROCK BAG	EA	2,260.000
	0109 71 5	FIELD OFFICE, 1500 SQ FT	DA	3,506.000
	0110 1 1	CLEARING & GRUBBING (25841525201)	LS	1.000
	0110 1 1	CLEARING & GRUBBING (25841515201)	LS	1.000
	0110 4	REMOVAL OF EXISTING CONCRETE PAVEMENT	SY	26,632.000
	0120 1	REGULAR EXCAVATION	CY	247,705.000
	0120 4	SUBSOIL EXCAVATION	CY	16,368.000
	0120 6	EMBANKMENT	CY	459,153.000
	0120 72	GRAVEL FILL	CY	5,239.000
	0121 70	FLOWABLE FILL	CY	115.000
	0142 70	FILL SAND	CY	22,294.000
	0160 4	TYPE B STABILIZATION	SY	108,166.000
	0162 1 11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	7,799.000
	0285701	OPTIONAL BASE, BASE GROUP 01	SY	3,809.000
	0285702	OPTIONAL BASE, BASE GROUP 02	SY	12,783.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0285707	OPTIONAL BASE, BASE GROUP 07	SY	19,768.000
	0285709	OPTIONAL BASE, BASE GROUP 09	SY	8,893.000
	0285711	OPTIONAL BASE, BASE GROUP 11	SY	30,803.000
	0285715	OPTIONAL BASE, BASE GROUP 15	SY	52.000
	0286 1	TURNOUT CONSTRUCTION	SY	524.000
	0287 1	ASPHALT TREATED PERMEABLE BASE	CY	2,839.000
	0327 70 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	27,344.000
	0327 70 11	MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH	SY	64,672.000
	0327 70 19	MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH	SY	338.000
	0334 1 11	SUPERPAVE ASPHALTIC CONC, TRAFFIC A	TN	187.400
	0334 1 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	3,818.000
	0334 1 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	1,036.000
	0334 1 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	6,057.800
	0334 1 24	SUPERPAVE ASPH CONC, TRAF D, PG76-22	TN	12,309.200
	0337 7 22	ASPH CONC FRICTION COURSE, INC BIT, FC-5, PG76-22	TN	4,116.800
	0337 7 33	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, RUBBER	TN	600.500
	0339 1	MISCELLANEOUS ASPHALT PAVEMENT	TN	567.200
	0350 1 5	PLAIN CEMENT CONCRETE PAVEMENT, 10"	SY	2,371.000
	0350 1 9	PLAIN CEMENT CONCRETE PAVEMENT, VARIABLE 71/2" AVERAGE	SY	558.000
	0350 1 12	PLAIN CEMENT CONCRETE PAVEMENT, 11"	SY	2,628.000
	0350 1 13	PLAIN CEMENT CONCRETE PAVEMENT, 11 1/2"	SY	2,115.000
	0350 1 14	PLAIN CEMENT CONCRETE PAVEMENT, 14"	SY	5,264.000
	0350 1 19	PLAIN CEMENT CONCRETE PAVEMENT, 12 1/2"	SY	20,885.000
	0350 1 21	PLAIN CEMENT CONCRETE PAVEMENT, VARIABLE 11" AVERAGE	SY	2,988.000
	0350 72	CLEANING & RESEALING JOINTS- CONCRETE PAVEMENT	LF	15,137.000
	0352 70	GRINDING CONCRETE PAVEMENT	SY	55,810.000
	0370 1	BRIDGE APPROACH EXPANSION JOINT FOR CONCRETE PAVEMENT	LF	883.000
	0400 1 2	CONCRETE CLASS I, ENDWALLS	CY	24.900
	0400 1 11	CONCRETE CLASS I, RETAINING WALLS	CY	124.500
	0400 2 10	CONCRETE CLASS II, APPROACH SLABS	CY	477.900
	0400 4 1	CONCRETE CLASS IV, CULVERTS	CY	478.500
	0415 1 1	REINF STEEL- ROADWAY	LB	83,351.000
	0415 1 9	REINFORCING STEEL- APPROACH SLABS	LB	95,588.000
	0425 1351	INLETS, CURB, TYPE P-5, <10'	EA	9.000
	0425 1361	INLETS, CURB, TYPE P-6, <10'	EA	1.000
	0425 1461	INLETS, CURB, TYPE J-6, <10'	EA	3.000
	0425 1501	INLETS, DT BOT, TYPE A, <10'	EA	2.000
	0425 1514	INLETS, DT BOT, TYPE B, J BOT, >10'	EA	1.000
	0425 1521	INLETS, DT BOT, TYPE C, <10'	EA	9.000
	0425 1523	INLETS, DT BOT, TYPE C, J BOT, <10'	EA	2.000
	0425 1529	INLETS, DT BOT, TYPE C, MODIFY	EA	3.000
	0425 1541	INLETS, DT BOT, TYPE D, <10'	EA	11.000
	0425 1543	INLETS, DITCH BOTTOM, TYPE D, J BOT, <10'	EA	4.000
	0425 1547	INLETS, DITCH BOTTOM, TYPE D, J BOTTOM, <10', SPECIAL	EA	1.000
	0425 1549	INLETS, DT BOT, TYPE D, MODIFY	EA	6.000
	0425 1589	INLETS, DT BOT, TYPE H, MODIFY	EA	6.000
	0425 1701	INLETS, GUTTER, TYPE S, <10'	EA	7.000
	0425 1702	INLETS, GUTTER, TYPE S, >10'	EA	1.000
	0425 1703	INLETS, GUTTER, TYPE S, J BOTTOM <10'	EA	4.000
	0425 1841	INLETS, MEDIAN BARRIER, TYPE 3, <10'	EA	1.000
	0425 1891	INLETS, BARRIER WALL, <10'	EA	54.000
	0425 1892	INLETS, BARRIER WALL, >10'	EA	5.000
	0425 1893	INLETS, BARRIER WALL, J BOT, <10'	EA	13.000
	0425 1894	INLETS, BARRIER WALL, J BOT, >10'	EA	1.000
	0425 1895	INLETS, BARRIER WALL, PARTIAL	EA	5.000
	0425 1899	INLETS, BARRIER WALL, MODIFY	EA	1.000
	0425 2 41	MANHOLES, P-7, <10'	EA	12.000
	0425 2 43	MANHOLES, P-7, PARTIAL	EA	8.000
	0425 2 61	MANHOLES, P-8, <10'	EA	76.000
	0425 2 62	MANHOLES, P-8, >10'	EA	16.000
	0425 2 72	MANHOLES, J-7, >10'	EA	5.000
	0425 2 73	MANHOLES, J-7, PARTIAL	EA	3.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0425 2 91	MANHOLES, J-8, <10'	EA	19.000
	0425 2 92	MANHOLES, J-8, >10'	EA	18.000
	0425 5	MANHOLE, ADJUST	EA	1.000
	0425 10	YARD DRAIN	EA	4.000
	0425 11	DRAINAGE STRUCTURE MODIFY	EA	13.000
	0425 78	INLET CAP, PRECAST	EA	4.000
	0430 94 1	DESILTING PIPE, 0 - 24"	LF	24,865.000
	0430 94 2	DESILTING PIPE, 25 - 36"	LF	6,501.000
	0430 94 3	DESILTING PIPE, 37 - 48"	LF	2,150.000
	0430173101	PIPE CULVERT OPTIONAL MATERIAL, ROUND - SHAPE, 0-24", GUTTER DRAIN	LF	39.000
	0430175101	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 0-24"S/CD	LF	22,160.000
	0430175102	PIPE CULVERT, OPT MATERIAL, ROUND, 25-36"S/CD	LF	6,181.000
	0430175103	PIPE CULVERT, OPT MATERIAL, ROUND, 37-48"S/CD	LF	2,435.000
	0430175104	PIPE CULVERT, OPT MATERIAL, ROUND, 49-60"S/CD	LF	25.000
	0430175201	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 0-24"S/CD	LF	1,146.000
	0430175202	PIPE CULVERT, OPT MATERIAL, OTHER - ELIP/ARCH, 25-36"S/CD	LF	377.000
	0430175204	PIPE CULVERT, OPT MATERIAL, OTHER - ELIP/ARCH, 49-60"S/CD	LF	402.000
	0430611025	U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 18"PIPE	EA	1.000
	0430611125	U-ENDWALL WITH BAFFLES, STD 261, 1:4 SLOPE, 18"PIPE	EA	1.000
	0430950	DESILTING CONCRETE BOX CULVERT,	CY	1,386.100
	0430982121	MITERED END SECTION, OPTIONAL ROUND, 12" CD	EA	9.000
	0430982123	MITERED END SECTION, OPTIONAL ROUND, 15" CD	EA	1.000
	0430982125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	21.000
	0430982129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	2.000
	0430982133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	9.000
	0430982138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	4.000
	0430982140	MITERED END SECTION, OPTIONAL ROUND, 42" CD	EA	4.000
	0430982141	MITERED END SECTION, OPTIONAL ROUND, 48" CD	EA	2.000
	0430982142	MITERED END SECTION, OPTIONAL ROUND, 54" CD	EA	1.000
	0440 1 20	UNDERDRAIN, TYPE II	LF	216.000
	0440 1 30	UNDERDRAIN, TYPE III	LF	1,205.000
	0440 1 50	UNDERDRAIN, TYPE V	LF	300.000
	0440 70	UNDERDRAIN INSPECTION BOX	EA	1.000
	0440 73 2	UNDERDRAIN OUTLET PIPE, 6"	LF	172.000
	0446 1 1	EDGEDRAIN DRAINCRETE, STANDARD	LF	4,856.000
	0446 71 1	EDGEDRAIN OUTLET PIPE, 4"	LF	446.000
	0514 72	LINER IMPERMEABLE PVC	SY	20,205.000
	0515 2201	PEDESTRIAN, BICYCLE RAILING, STEEL ONLY,42" PICKET RAIL	LF	384.000
	0520 1 7	CONCRETE CURB & GUTTER, TYPE E	LF	692.000
	0520 1 10	CONCRETE CURB & GUTTER, TYPE F	LF	4,472.000
	0520 2 4	CONCRETE CURB, TYPE D	LF	1,095.000
	0520 3	VALLEY GUTTER- CONCRETE	LF	109.000
	0520 6	SHOULDER GUTTER- CONCRETE	LF	3,235.000
	0520 70	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	54.000
	0521 1	MEDIAN CONCRETE BARRIER WALL	LF	2,162.000
	0521 5 1	CONCRETE TRAFFIC RAILING, BRIDGE 32" F - SHAPE	LF	338.000
	0521 8 1	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, 32" F SHAPE	LF	3,645.000
	0521 72 3	SHOULDER CONCRETE BARRIER WALL, RIGID-SHOULDER	LF	5,914.000
	0521 72 4	SHOULDER CONCRETE BARRIER WALL, RIGID RETAINING	LF	519.000
	0521 72 6	SHOULDER CONCRETE BARRIER WALL, PLAIN - SHOULDER	LF	3,432.000
	0521 72 10	SHOULDER CONCRETE BARRIER WALL, RIGID SHOULDER 42"	LF	299.000
	0521 72 11	SHOULDER CONCRETE BARRIER WALL, RIGID SHOULDER 54"	LF	1,493.000
	0521 73	CONCRETE BARRIER WALL, REMOVAL	LF	1,133.000
	0522 1	SIDEWALK CONCRETE, 4" THICK	SY	1,810.000
	0522 2	SIDEWALK CONCRETE, 6" THICK	SY	348.000
	0524 1 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	74.000
	0524 1 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	3,206.000
	0524 1 4	CONCRETE DITCH PAVEMENT, NON REINFORCED, 6"	SY	10,017.000
	0524 2 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	6,716.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0530 3 3	RIPRAP, RUBBLE, BANK AND SHORE	TN	464.100
	0530 3 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	214.300
	0530 74	BEDDING STONE	TN	14,318.500
	0530 78	RIPRAP - ARTICULATING BLOCK	SY	2,375.000
	0536 1 1	GUARDRAIL -ROADWAY	LF	10,912.000
	0536 2	GUARDRAIL- SHOP-BENT PANELS	LF	32.000
	0536 7	SPECIAL GUARDRAIL POST	EA	9.000
	0536 8	GUARDRAIL- BRIDGE ANCHORAGE ASSEMBLY (FURNISH & INSTALL)	EA	5.000
	0536 73	GUARDRAIL REMOVAL	LF	11,569.000
	0536 82	GUARDRAIL ANCHORAGE- CONCRETE BARRIER WALL	EA	2.000
	0536 85 22	GUARDRAIL END ANCHORAGE ASSEMBLY- FLARED	EA	8.000
	0536 85 24	GUARDRAIL END ANCHORAGE ASSEMBLY- PARALLEL	EA	1.000
	0536 85 25	GUARDRAIL END ANCHORAGE ASSEMBLY- TYPE II	EA	10.000
	0538 1	GUARDRAIL RESET	LF	2,304.000
	0544 75 13	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, REACT 350	EA	4.000
	0544 75 14	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, QUADGUARD	EA	2.000
	0544 75 40	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, OPTIONAL	EA	6.000
	0546 72 51	RUMBLE STRIPS, GROUND-IN, 16" MIN. WIDTH	PM	7.200
	0550 10220	FENCING, TYPE B, 5.1-6.0, STANDARD	LF	33,387.000
	0550 10222	FENCING, TYPE B, 5.1-6.0, W/ VINYL COATING	LF	2,408.000
	0550 10929	FENCING, SPECIAL TYPE, 5.1-6.0', SPECIAL FEATURES	LF	4,170.000
	0550 60214	FENCE GATE, TYPE B, SINGLE, 18.1-20.0' OPENING	EA	19.000
	0550 60224	FENCE GATE, TYPE B, DOUBLE, 18.1-20.0' OPENING	EA	4.000
	0550 60225	FENCE GATE , TYPE B, DOUBLE, 20.1-24' OPENING	EA	7.000
	0550 60234	FENCE GATE, TYPE B, SLIDING/CANTILEVER, 18.1-20.0' OPENING	EA	6.000
	0550 60236	FENCE GATE, TYPE B, SLIDING/CANTILEVER, 24.1-30' OPENING	EA	1.000
	0550 60914	FENCE GATE, SPECIAL TYPE, SINGLE, 18.1-20' OPENING	EA	1.000
	0556 1 5	JACK AND BORE, CASING DIAMETER 24"TO<36"	LF	82.000
	0556 1 7	JACK AND BORE, CASING DIAMETER 48"TO<60"	LF	213.000
	0556 1 8	JACK AND BORE, CASING DIAMETER 60"TO<72"	LF	504.000
	0570 1 2	PERFORMANCE TURF, SOD	SY	354,772.000
	0571 1 11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	20,696.000
	0571 1 12	PLASTIC EROSION MAT, TRM, TYPE 2	SY	5,498.000
	0710 11111	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	NM	48.976
	0710 11122	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 8"	LF	62,528.000
	0710 11123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 12"	LF	440.000
	0710 11124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 18"	LF	9,399.000
	0710 11125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 24"	LF	168.000
	0710 11131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 6"	GM	51.073
	0710 11142	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 8"	LF	3,857.000
	0710 11160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE	EA	9.000
	0710 11170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	7.000
	0710 11211	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	NM	42.868
	0710 11222	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 8"	LF	20,784.000
	0710 11224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 18"	LF	4,801.000
	0710 11231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.183
	0711 11111	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	NM	0.921
	0711 11122	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8"	LF	1,034.000
	0711 11124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18"	LF	734.000
	0711 11131	THERMOPLASTIC, STANDARD, WHITE, SKIP, 6"	GM	2.247
	0711 11211	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	NM	0.422
	0711 11231	THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6"	GM	0.066
	0730 76113	STEEL CASING, OPEN TRENCH, F&I, 24"	LF	23.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0730 76118	STEEL CASING, OPEN TRENCH, F&I, 34"	LF	144.000
	0730 76121	STEEL CASING, OPEN TRENCH, F&I, 40"	LF	66.000
	0735 84 3	TOLL PLAZA ISLAND, REMOVE	EA	1.000
	0737 70 1	UTILITY LOCATE, UNDERGROUND	EA	30.000
	0906104 1	MOWING	AC	238.840
	0999 16	PARTNERING, DO NOT BID (25841515201)	LS	1.000
	0999 20	DISPUTES REVIEW BOARD, DO NOT BID	DA	32.000
	0999 25	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25841515201)	LS	1.000
	0999 25	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25841525201)	LS	1.000
AA2 SECTION	0008 ROADWAY			
	0101 1	MOBILIZATION (25841525201)	LS	1.000
	0101 1	MOBILIZATION (25841515201)	LS	1.000
	0102 1	MAINTENANCE OF TRAFFIC (25841525201)	LS	1.000
	0102 1	MAINTENANCE OF TRAFFIC (25841515201)	LS	1.000
	0102 2 1	SPECIAL DETOUR 1 (25841515201)	LS	1.000
	0102 2 1	SPECIAL DETOUR 1 (25841525201)	LS	1.000
	0102 14	TRAFFIC CONTROL OFFICER	MH	6,049.000
	0102 60	WORK ZONE SIGN	ED	479,600.000
	0102 61	BUSINESS SIGN	EA	11.000
	0102 71 13	BARRIER WALL, TEMPORARY, F&I, LOW PROFILE, CONCRETE	LF	616.000
	0102 71 14	BARRIER WALL, TEMPORARY, F&I, TYPE K	LF	21,378.000
	0102 71 24	BARRIER WALL, TEMPORARY, RELOCATE, TYPE K	LF	50,775.000
	0102 74 1	BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM	ED	797,243.000
	0102 74 2	BARRICADE, TEMPORARY, TYPE III, 6'	ED	63,626.000
	0102 76	ADVANCE WARNING ARROW PANEL	ED	4,354.000
	0102 77	HIGH INTENSITY FLASHING LIGHTS, TEMP, TYPE B	ED	103,675.000
	0102 78	REFLECTIVE PAVEMENT MARKER, TEMPORARY	EA	19,192.000
	0102 79	LIGHTS, BARRIER WALL MOUNT, TEMP, TYPE C, STEADY BURN	ED	155,876.000
	0102 89 7	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	44.000
	0102 99	CHANGEABLE-VARIABLE MESSAGE SIGN, TEMPORARY	ED	9,995.000
	0102107	TEMPORARY TRAFFIC DETECTION, INTERSECT	DA	1,140.000
	0102150 1	PORTABLE REGULATORY, SIGN	ED	3,616.000
	0102150 2	RADAR SPEED DISPLAY UNIT	ED	3,616.000
	0104 1	ARTIFICIAL COVERINGS FOR EROSION CONTROL	SY	34,996.000
	0104 7	SEDIMENT BASIN	EA	1.000
	0104 10 2	SYNTHETIC BALES	LF	2,631.000
	0104 11	FLOATING TURBIDITY BARRIER	LF	657.000
	0104 12	STAKED TURBIDITY BARRIER	LF	381.000
	0104 13 1	STAKED SILT FENCE, TYPE III	LF	267,060.000
	0104 13 2	STAKED SILT FENCE, TYPE IV	LF	7,230.000
	0104 15	SOIL TRACKING PREVENTION DEVICE	EA	26.000
	0104 16	ROCK BAG	EA	2,280.000
	0109 71 5	FIELD OFFICE, 1500 SQ FT	DA	3,506.000
	0110 1 1	CLEARING & GRUBBING (25841525201)	LS	1.000
	0110 1 1	CLEARING & GRUBBING (25841515201)	LS	1.000
	0110 4	REMOVAL OF EXISTING CONCRETE PAVEMENT	SY	26,692.000
	0120 1	REGULAR EXCAVATION	CY	247,688.000
	0120 4	SUBSOIL EXCAVATION	CY	16,368.000
	0120 6	EMBANKMENT	CY	465,134.000
	0120 72	GRAVEL FILL	CY	5,267.000
	0121 70	FLOWABLE FILL	CY	115.000
	0142 70	FILL SAND	CY	22,234.000
	0160 4	TYPE B STABILIZATION	SY	110,036.000
	0162 1 11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	7,799.000
	0285701	OPTIONAL BASE, BASE GROUP 01	SY	3,700.000
	0285702	OPTIONAL BASE, BASE GROUP 02	SY	12,815.000
	0285707	OPTIONAL BASE, BASE GROUP 07	SY	19,902.000
	0285709	OPTIONAL BASE, BASE GROUP 09	SY	8,626.000
	0285711	OPTIONAL BASE, BASE GROUP 11	SY	30,624.000
	0285715	OPTIONAL BASE, BASE GROUP 15	SY	52.000
	0286 1	TURNOUT CONSTRUCTION	SY	524.200
	0287 1	ASPHALT TREATED PERMEABLE BASE	CY	2,869.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0327 70 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	27,481.000
	0327 70 11	MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH	SY	64,672.000
	0327 70 19	MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH	SY	338.000
	0334 1 11	SUPERPAVE ASPHALTIC CONC, TRAFFIC A	TN	187.400
	0334 1 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	3,827.300
	0334 1 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	1,036.000
	0334 1 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	6,057.700
	0334 1 24	SUPERPAVE ASPH CONC, TRAF D, PG76-22	TN	12,250.600
	0337 7 22	ASPH CONC FRICTION COURSE, INC BIT, FC-5, PG76-22	TN	4,109.700
	0337 7 33	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, RUBBER	TN	600.500
	0339 1	MISCELLANEOUS ASPHALT PAVEMENT	TN	567.200
	0350 1 5	PLAIN CEMENT CONCRETE PAVEMENT, 10"	SY	2,371.000
	0350 1 9	PLAIN CEMENT CONCRETE PAVEMENT, VARIABLE 71/2" AVERAGE	SY	558.000
	0350 1 12	PLAIN CEMENT CONCRETE PAVEMENT, 11"	SY	2,628.000
	0350 1 13	PLAIN CEMENT CONCRETE PAVEMENT, 11 1/2"	SY	2,178.000
	0350 1 14	PLAIN CEMENT CONCRETE PAVEMENT, 14"	SY	5,184.000
	0350 1 19	PLAIN CEMENT CONCRETE PAVEMENT, 12 1/2"	SY	21,997.000
	0350 1 21	PLAIN CEMENT CONCRETE PAVEMENT, VARIABLE 11" AVERAGE	SY	2,924.000
	0350 72	CLEANING & RESEALING JOINTS- CONCRETE PAVEMENT	LF	15,137.000
	0352 70	GRINDING CONCRETE PAVEMENT	SY	55,728.000
	0370 1	BRIDGE APPROACH EXPANSION JOINT FOR CONCRETE PAVEMENT	LF	824.000
	0400 1 2	CONCRETE CLASS I, ENDWALLS	CY	24.900
	0400 1 11	CONCRETE CLASS I, RETAINING WALLS	CY	124.500
	0400 2 10	CONCRETE CLASS II, APPROACH SLABS	CY	607.200
	0400 4 1	CONCRETE CLASS IV, CULVERTS	CY	478.500
	0415 1 1	REINF STEEL- ROADWAY	LB	83,351.000
	0415 1 9	REINFORCING STEEL- APPROACH SLABS	LB	121,445.000
	0425 1351	INLETS, CURB, TYPE P-5, <10'	EA	9.000
	0425 1361	INLETS, CURB, TYPE P-6, <10'	EA	1.000
	0425 1461	INLETS, CURB, TYPE J-6, <10'	EA	3.000
	0425 1501	INLETS, DT BOT, TYPE A, <10'	EA	2.000
	0425 1514	INLETS, DT BOT, TYPE B, J BOT, >10'	EA	1.000
	0425 1521	INLETS, DT BOT, TYPE C, <10'	EA	10.000
	0425 1529	INLETS, DT BOT, TYPE C, MODIFY	EA	3.000
	0425 1541	INLETS, DT BOT, TYPE D, <10'	EA	10.000
	0425 1543	INLETS, DITCH BOTTOM, TYPE D, J BOT, <10'	EA	4.000
	0425 1547	INLETS, DITCH BOTTOM, TYPE D, J BOTTOM, <10', SPECIAL	EA	1.000
	0425 1549	INLETS, DT BOT, TYPE D, MODIFY	EA	6.000
	0425 1589	INLETS, DT BOT, TYPE H, MODIFY	EA	6.000
	0425 1701	INLETS, GUTTER, TYPE S, <10'	EA	8.000
	0425 1702	INLETS, GUTTER, TYPE S, >10'	EA	1.000
	0425 1703	INLETS, GUTTER, TYPE S, J BOTTOM <10'	EA	3.000
	0425 1841	INLETS, MEDIAN BARRIER, TYPE 3, <10'	EA	1.000
	0425 1891	INLETS, BARRIER WALL, <10'	EA	51.000
	0425 1892	INLETS, BARRIER WALL, >10'	EA	6.000
	0425 1893	INLETS, BARRIER WALL, J BOT, <10'	EA	14.000
	0425 1894	INLETS, BARRIER WALL, J BOT, >10'	EA	1.000
	0425 1895	INLETS, BARRIER WALL, PARTIAL	EA	5.000
	0425 1899	INLETS, BARRIER WALL, MODIFY	EA	1.000
	0425 2 41	MANHOLES, P-7, <10'	EA	12.000
	0425 2 43	MANHOLES, P-7, PARTIAL	EA	8.000
	0425 2 61	MANHOLES, P-8, <10'	EA	64.000
	0425 2 62	MANHOLES, P-8, >10'	EA	26.000
	0425 2 72	MANHOLES, J-7, >10'	EA	5.000
	0425 2 73	MANHOLES, J-7, PARTIAL	EA	3.000
	0425 2 91	MANHOLES, J-8, <10'	EA	13.000
	0425 2 92	MANHOLES, J-8, >10'	EA	21.000
	0425 5	MANHOLE, ADJUST	EA	1.000
	0425 10	YARD DRAIN	EA	4.000
	0425 11	DRAINAGE STRUCTURE MODIFY	EA	12.000
	0425 78	INLET CAP, PRECAST	EA	4.000
	0430 94 1	DESILTING PIPE, 0 - 24"	LF	24,865.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0430 94 2	DESILTING PIPE, 25 - 36"	LF	6,501.000
	0430 94 3	DESILTING PIPE, 37 - 48"	LF	2,150.000
	0430173101	PIPE CULVERT OPTIONAL MATERIAL, ROUND - SHAPE, 0-24", GUTTER DRAIN	LF	39.000
	0430175101	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 0-24"S/CD	LF	22,655.000
	0430175102	PIPE CULVERT, OPT MATERIAL, ROUND, 25-36"S/CD	LF	5,796.000
	0430175103	PIPE CULVERT, OPT MATERIAL, ROUND, 37-48"S/CD	LF	2,427.000
	0430175104	PIPE CULVERT, OPT MATERIAL, ROUND, 49-60"S/CD	LF	25.000
	0430175201	PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 0-24"S/CD	LF	936.000
	0430175202	PIPE CULVERT, OPT MATERIAL, OTHER - ELIP/ARCH, 25-36"S/CD	LF	377.000
	0430175204	PIPE CULVERT, OPT MATERIAL, OTHER - ELIP/ARCH, 49-60"S/CD	LF	404.000
	0430611025	U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 18"PIPE	EA	1.000
	0430611125	U-ENDWALL WITH BAFFLES, STD 261, 1:4 SLOPE, 18"PIPE	EA	1.000
	0430950	DESILTING CONCRETE BOX CULVERT,	CY	1,386.100
	0430982121	MITERED END SECTION, OPTIONAL ROUND, 12" CD	EA	11.000
	0430982123	MITERED END SECTION, OPTIONAL ROUND, 15" CD	EA	1.000
	0430982125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	24.000
	0430982129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	2.000
	0430982133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	9.000
	0430982138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	4.000
	0430982140	MITERED END SECTION, OPTIONAL ROUND, 42" CD	EA	5.000
	0430982141	MITERED END SECTION, OPTIONAL ROUND, 48" CD	EA	1.000
	0430982142	MITERED END SECTION, OPTIONAL ROUND, 54" CD	EA	1.000
	0440 1 20	UNDERDRAIN, TYPE II	LF	216.000
	0440 1 30	UNDERDRAIN, TYPE III	LF	1,205.000
	0440 1 50	UNDERDRAIN, TYPE V	LF	300.000
	0440 70	UNDERDRAIN INSPECTION BOX	EA	1.000
	0440 73 2	UNDERDRAIN OUTLET PIPE, 6"	LF	174.000
	0446 1 1	EDGEDRAIN DRAINCRETE, STANDARD	LF	4,807.000
	0446 71 1	EDGEDRAIN OUTLET PIPE, 4"	LF	446.000
	0514 72	LINER IMPERMEABLE PVC	SY	20,204.700
	0515 2201	PEDESTRIAN, BICYCLE RAILING, STEEL ONLY, 42" PICKET RAIL	LF	384.000
	0520 1 7	CONCRETE CURB & GUTTER, TYPE E	LF	692.000
	0520 1 10	CONCRETE CURB & GUTTER, TYPE F	LF	4,472.000
	0520 2 4	CONCRETE CURB, TYPE D	LF	1,095.000
	0520 3	VALLEY GUTTER- CONCRETE	LF	109.000
	0520 6	SHOULDER GUTTER- CONCRETE	LF	3,235.000
	0520 70	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	54.000
	0521 1	MEDIAN CONCRETE BARRIER WALL	LF	2,305.000
	0521 5 1	CONCRETE TRAFFIC RAILING, BRIDGE 32" F - SHAPE	LF	338.000
	0521 8 1	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, 32" F SHAPE	LF	3,756.000
	0521 72 3	SHOULDER CONCRETE BARRIER WALL, RIGID-SHOULDER	LF	5,856.000
	0521 72 4	SHOULDER CONCRETE BARRIER WALL, RIGID RETAINING	LF	519.000
	0521 72 6	SHOULDER CONCRETE BARRIER WALL, PLAIN - SHOULDER	LF	3,429.000
	0521 72 10	SHOULDER CONCRETE BARRIER WALL, RIGID SHOULDER 42"	LF	299.000
	0521 72 11	SHOULDER CONCRETE BARRIER WALL, RIGID SHOULDER 54"	LF	1,493.000
	0521 73	CONCRETE BARRIER WALL, REMOVAL	LF	1,050.000
	0522 1	SIDEWALK CONCRETE, 4" THICK	SY	1,810.000
	0522 2	SIDEWALK CONCRETE, 6" THICK	SY	347.700
	0524 1 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	74.000
	0524 1 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	3,206.000
	0524 1 4	CONCRETE DITCH PAVEMENT, NON REINFORCED, 6"	SY	9,895.000
	0524 2 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	6,752.600
	0530 3 3	RIPRAP, RUBBLE, BANK AND SHORE	TN	431.600
	0530 3 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	214.300
	0530 74	BEDDING STONE	TN	14,318.500
	0530 78	RIPRAP - ARTICULATING BLOCK	SY	2,375.000
	0536 1 1	GUARDRAIL -ROADWAY	LF	10,916.000
	0536 2	GUARDRAIL- SHOP-BENT PANELS	LF	32.000
	0536 7	SPECIAL GUARDRAIL POST	EA	9.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0536 8	GUARDRAIL- BRIDGE ANCHORAGE ASSEMBLY (FURNISH & INSTALL)	EA	5.000
	0536 73	GUARDRAIL REMOVAL	LF	11,569.000
	0536 82	GUARDRAIL ANCHORAGE- CONCRETE BARRIER WALL	EA	2.000
	0536 85 22	GUARDRAIL END ANCHORAGE ASSEMBLY- FLARED	EA	8.000
	0536 85 24	GUARDRAIL END ANCHORAGE ASSEMBLY- PARALLEL	EA	1.000
	0536 85 25	GUARDRAIL END ANCHORAGE ASSEMBLY- TYPE II	EA	10.000
	0538 1	GUARDRAIL RESET	LF	2,304.000
	0544 75 13	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, REACT 350	EA	4.000
	0544 75 14	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, QUADGUARD	EA	2.000
	0544 75 40	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, OPTIONAL	EA	6.000
	0546 72 51	RUMBLE STRIPS, GROUND-IN, 16" MIN. WIDTH	PM	7.200
	0550 10220	FENCING, TYPE B, 5.1-6.0, STANDARD	LF	33,387.000
	0550 10222	FENCING, TYPE B, 5.1-6.0, W/ VINYL COATING	LF	2,408.000
	0550 10929	FENCING, SPECIAL TYPE, 5.1-6.0', SPECIAL FEATURES	LF	4,170.000
	0550 60214	FENCE GATE, TYPE B, SINGLE, 18.1-20.0' OPENING	EA	19.000
	0550 60224	FENCE GATE, TYPE B, DOUBLE, 18.1-20.0' OPENING	EA	4.000
	0550 60225	FENCE GATE , TYPE B, DOUBLE, 20.1-24' OPENING	EA	7.000
	0550 60234	FENCE GATE, TYPE B, SLIDING/CANTILEVER, 18.1-20.0' OPENING	EA	6.000
	0550 60236	FENCE GATE, TYPE B, SLIDING/CANTILEVER, 24.1-30' OPENING	EA	1.000
	0550 60914	FENCE GATE, SPECIAL TYPE, SINGLE, 18.1-20' OPENING	EA	1.000
	0556 1 5	JACK AND BORE, CASING DIAMETER 24"TO<36"	LF	82.000
	0556 1 7	JACK AND BORE, CASING DIAMETER 48"TO<60"	LF	213.000
	0556 1 8	JACK AND BORE, CASING DIAMETER 60"TO<72"	LF	504.000
	0570 1 2	PERFORMANCE TURF, SOD	SY	354,553.000
	0571 1 11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	20,381.000
	0571 1 12	PLASTIC EROSION MAT, TRM, TYPE 2	SY	5,498.000
	0710 11111	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	NM	53.953
	0710 11122	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 8"	LF	69,183.000
	0710 11123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 12"	LF	440.000
	0710 11124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 18"	LF	9,307.000
	0710 11125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 24"	LF	237.000
	0710 11131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 6"	GM	52.725
	0710 11142	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 8"	LF	2,148.000
	0710 11160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE	EA	9.000
	0710 11170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	7.000
	0710 11211	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	NM	46.448
	0710 11222	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 8"	LF	19,578.000
	0710 11224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 18"	LF	4,617.000
	0710 11231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.183
	0711 11111	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	NM	1.364
	0711 11122	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8"	LF	1,034.000
	0711 11124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18"	LF	734.000
	0711 11131	THERMOPLASTIC, STANDARD, WHITE, SKIP, 6"	GM	2.583
	0711 11211	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	NM	0.373
	0711 11231	THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6"	GM	0.033
	0730 76113	STEEL CASING, OPEN TRENCH, F&I, 24"	LF	9.000
	0730 76118	STEEL CASING, OPEN TRENCH, F&I, 34"	LF	117.000
	0730 76121	STEEL CASING, OPEN TRENCH, F&I, 40"	LF	66.000
	0735 84 3	TOLL PLAZA ISLAND, REMOVE	EA	1.000
	0737 70 1	UTILITY LOCATE, UNDERGROUND	EA	30.000
	0906104 1	MOWING	AC	238.840
	0999 16	PARTNERING, DO NOT BID (25841515201)	LS	1.000
	0999 20	DISPUTES REVIEW BOARD, DO NOT BID	DA	32.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0999 25	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25841525201)	LS	1.000
	0999 25	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25841515201)	LS	1.000
AA3 SECTION	0009 ROADWAY			
	0101 1	MOBILIZATION (25841525201)	LS	1.000
	0101 1	MOBILIZATION (25841515201)	LS	1.000
	0102 1	MAINTENANCE OF TRAFFIC (25841525201)	LS	1.000
	0102 1	MAINTENANCE OF TRAFFIC (25841515201)	LS	1.000
	0102 2 1	SPECIAL DETOUR 1 (25841515201)	LS	1.000
	0102 2 1	SPECIAL DETOUR 1 (25841525201)	LS	1.000
	0102 2 2	SPECIAL DETOUR 2 (25841515201)	LS	1.000
	0102 14	TRAFFIC CONTROL OFFICER	MH	6,049.000
	0102 60	WORK ZONE SIGN	ED	467,434.000
	0102 61	BUSINESS SIGN	EA	11.000
	0102 71 13	BARRIER WALL, TEMPORARY, F&I, LOW PROFILE, CONCRETE	LF	544.000
	0102 71 14	BARRIER WALL, TEMPORARY, F&I, TYPE K	LF	21,378.000
	0102 71 24	BARRIER WALL, TEMPORARY, RELOCATE, TYPE K	LF	51,422.000
	0102 74 1	BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM	ED	875,461.000
	0102 74 2	BARRICADE, TEMPORARY, TYPE III, 6'	ED	72,390.000
	0102 76	ADVANCE WARNING ARROW PANEL	ED	7,675.000
	0102 77	HIGH INTENSITY FLASHING LIGHTS, TEMP, TYPE B	ED	100,427.000
	0102 78	REFLECTIVE PAVEMENT MARKER, TEMPORARY	EA	18,693.000
	0102 79	LIGHTS, BARRIER WALL MOUNT, TEMP, TYPE C, STEADY BURN	ED	129,493.000
	0102 89 7	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	47.000
	0102 99	CHANGEABLE-VARIABLE MESSAGE SIGN, TEMPORARY	ED	10,037.000
	0102107	TEMPORARY TRAFFIC DETECTION, INTERSECT	DA	1,140.000
	0102150 1	PORTABLE REGULATORY, SIGN	ED	5,948.000
	0102150 2	RADAR SPEED DISPLAY UNIT	ED	5,948.000
	0104 1	ARTIFICIAL COVERINGS FOR EROSION CONTROL	SY	34,999.000
	0104 7	SEDIMENT BASIN	EA	1.000
	0104 10 2	SYNTHETIC BALES	LF	2,663.000
	0104 11	FLOATING TURBIDITY BARRIER	LF	657.000
	0104 12	STAKED TURBIDITY BARRIER	LF	381.000
	0104 13 1	STAKED SILT FENCE, TYPE III	LF	267,060.000
	0104 13 2	STAKED SILT FENCE, TYPE IV	LF	7,230.000
	0104 15	SOIL TRACKING PREVENTION DEVICE	EA	26.000
	0104 16	ROCK BAG	EA	2,260.000
	0109 71 5	FIELD OFFICE, 1500 SQ FT	DA	3,506.000
	0110 1 1	CLEARING & GRUBBING (25841525201)	LS	1.000
	0110 1 1	CLEARING & GRUBBING (25841515201)	LS	1.000
	0110 4	REMOVAL OF EXISTING CONCRETE PAVEMENT	SY	26,632.000
	0120 1	REGULAR EXCAVATION	CY	248,018.000
	0120 4	SUBSOIL EXCAVATION	CY	16,368.000
	0120 6	EMBANKMENT	CY	486,993.000
	0120 72	GRAVEL FILL	CY	5,239.000
	0121 70	FLOWABLE FILL	CY	115.000
	0142 70	FILL SAND	CY	22,348.000
	0160 4	TYPE B STABILIZATION	SY	108,166.000
	0162 1 11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	7,799.000
	0285701	OPTIONAL BASE, BASE GROUP 01	SY	3,809.000
	0285702	OPTIONAL BASE, BASE GROUP 02	SY	12,783.000
	0285707	OPTIONAL BASE, BASE GROUP 07	SY	19,768.000
	0285709	OPTIONAL BASE, BASE GROUP 09	SY	8,893.000
	0285711	OPTIONAL BASE, BASE GROUP 11	SY	30,803.000
	0285715	OPTIONAL BASE, BASE GROUP 15	SY	52.000
	0286 1	TURNOUT CONSTRUCTION	SY	524.000
	0287 1	ASPHALT TREATED PERMEABLE BASE	CY	2,839.000
	0327 70 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	27,344.000
	0327 70 11	MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH	SY	64,672.000
	0327 70 19	MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH	SY	338.000
	0334 1 11	SUPERPAVE ASPHALTIC CONC, TRAFFIC A	TN	187.400
	0334 1 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	3,818.000
	0334 1 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	1,036.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0334 1 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	6,057.800
	0334 1 24	SUPERPAVE ASPH CONC, TRAF D, PG76-22	TN	12,309.200
	0337 7 22	ASPH CONC FRICTION COURSE, INC BIT, FC-5, PG76-22	TN	4,116.800
	0337 7 33	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, RUBBER	TN	600.500
	0339 1	MISCELLANEOUS ASPHALT PAVEMENT	TN	567.200
	0350 1 5	PLAIN CEMENT CONCRETE PAVEMENT, 10"	SY	2,371.000
	0350 1 9	PLAIN CEMENT CONCRETE PAVEMENT, VARIABLE 71/2" AVERAGE	SY	558.000
	0350 1 12	PLAIN CEMENT CONCRETE PAVEMENT, 11"	SY	2,628.000
	0350 1 13	PLAIN CEMENT CONCRETE PAVEMENT, 11 1/2"	SY	2,115.000
	0350 1 14	PLAIN CEMENT CONCRETE PAVEMENT, 14"	SY	5,264.000
	0350 1 19	PLAIN CEMENT CONCRETE PAVEMENT, 12 1/2"	SY	20,885.000
	0350 1 21	PLAIN CEMENT CONCRETE PAVEMENT, VARIABLE 11" AVERAGE	SY	2,988.000
	0350 72	CLEANING & RESEALING JOINTS- CONCRETE PAVEMENT	LF	15,137.000
	0352 70	GRINDING CONCRETE PAVEMENT	SY	55,810.000
	0370 1	BRIDGE APPROACH EXPANSION JOINT FOR CONCRETE PAVEMENT	LF	883.000
	0400 1 2	CONCRETE CLASS I, ENDWALLS	CY	24.900
	0400 1 11	CONCRETE CLASS I, RETAINING WALLS	CY	124.500
	0400 2 10	CONCRETE CLASS II, APPROACH SLABS	CY	477.900
	0400 4 1	CONCRETE CLASS IV, CULVERTS	CY	478.500
	0415 1 1	REINF STEEL- ROADWAY	LB	83,351.000
	0415 1 9	REINFORCING STEEL- APPROACH SLABS	LB	95,588.000
	0425 1351	INLETS, CURB, TYPE P-5, <10'	EA	9.000
	0425 1361	INLETS, CURB, TYPE P-6, <10'	EA	1.000
	0425 1461	INLETS, CURB, TYPE J-6, <10'	EA	3.000
	0425 1501	INLETS, DT BOT, TYPE A, <10'	EA	2.000
	0425 1514	INLETS, DT BOT, TYPE B, J BOT, >10'	EA	1.000
	0425 1521	INLETS, DT BOT, TYPE C, <10'	EA	11.000
	0425 1529	INLETS, DT BOT, TYPE C, MODIFY	EA	3.000
	0425 1541	INLETS, DT BOT, TYPE D, <10'	EA	12.000
	0425 1543	INLETS, DITCH BOTTOM, TYPE D, J BOT, <10'	EA	3.000
	0425 1547	INLETS, DITCH BOTTOM, TYPE D, J BOTTOM, <10', SPECIAL	EA	1.000
	0425 1549	INLETS, DT BOT, TYPE D, MODIFY	EA	6.000
	0425 1589	INLETS, DT BOT, TYPE H, MODIFY	EA	6.000
	0425 1701	INLETS, GUTTER, TYPE S, <10'	EA	7.000
	0425 1702	INLETS, GUTTER, TYPE S, >10'	EA	1.000
	0425 1703	INLETS, GUTTER, TYPE S, J BOTTOM <10'	EA	4.000
	0425 1841	INLETS, MEDIAN BARRIER, TYPE 3, <10'	EA	1.000
	0425 1891	INLETS, BARRIER WALL, <10'	EA	53.000
	0425 1892	INLETS, BARRIER WALL, >10'	EA	6.000
	0425 1893	INLETS, BARRIER WALL, J BOT, <10'	EA	13.000
	0425 1894	INLETS, BARRIER WALL, J BOT, >10'	EA	1.000
	0425 1895	INLETS, BARRIER WALL, PARTIAL	EA	5.000
	0425 1899	INLETS, BARRIER WALL, MODIFY	EA	1.000
	0425 2 41	MANHOLES, P-7, <10'	EA	12.000
	0425 2 43	MANHOLES, P-7, PARTIAL	EA	8.000
	0425 2 61	MANHOLES, P-8, <10'	EA	76.000
	0425 2 62	MANHOLES, P-8, >10'	EA	13.000
	0425 2 72	MANHOLES, J-7, >10'	EA	5.000
	0425 2 73	MANHOLES, J-7, PARTIAL	EA	3.000
	0425 2 91	MANHOLES, J-8, <10'	EA	16.000
	0425 2 92	MANHOLES, J-8, >10'	EA	23.000
	0425 5	MANHOLE, ADJUST	EA	1.000
	0425 10	YARD DRAIN	EA	4.000
	0425 11	DRAINAGE STRUCTURE MODIFY	EA	13.000
	0425 78	INLET CAP, PRECAST	EA	4.000
	0430 94 1	DESILTING PIPE, 0 - 24"	LF	24,865.000
	0430 94 2	DESILTING PIPE, 25 - 36"	LF	6,501.000
	0430 94 3	DESILTING PIPE, 37 - 48"	LF	2,150.000
	0430173101	PIPE CULVERT OPTIONAL MATERIAL, ROUND - SHAPE, 0-24", GUTTER DRAIN	LF	39.000
	0430175101	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 0-24"S/CD	LF	22,348.000
	0430175102	PIPE CULVERT, OPT MATERIAL, ROUND, 25-36"S/CD	LF	6,203.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0430175103	PIPE CULVERT, OPT MATERIAL, ROUND, 37-48"S/CD	LF	2,433.000
	0430175104	PIPE CULVERT, OPT MATERIAL, ROUND, 49-60"S/CD	LF	25.000
	0430175201	PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 0-24"S/CD	LF	1,146.000
	0430175202	PIPE CULVERT, OPT MATERIAL, OTHER - ELIP/ARCH, 25-36"S/CD	LF	377.000
	0430175204	PIPE CULVERT, OPT MATERIAL, OTHER - ELIP/ARCH, 49-60"S/CD	LF	402.000
	0430611025	U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 18"PIPE	EA	1.000
	0430611125	U-ENDWALL WITH BAFFLES, STD 261, 1:4 SLOPE, 18"PIPE	EA	1.000
	0430950	DESILTING CONCRETE BOX CULVERT,	CY	1,386.100
	0430982121	MITERED END SECTION, OPTIONAL ROUND, 12" CD	EA	9.000
	0430982123	MITERED END SECTION, OPTIONAL ROUND, 15" CD	EA	1.000
	0430982125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	21.000
	0430982129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	2.000
	0430982133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	9.000
	0430982138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	4.000
	0430982140	MITERED END SECTION, OPTIONAL ROUND, 42" CD	EA	4.000
	0430982141	MITERED END SECTION, OPTIONAL ROUND, 48" CD	EA	2.000
	0430982142	MITERED END SECTION, OPTIONAL ROUND, 54" CD	EA	1.000
	0440 1 20	UNDERDRAIN, TYPE II	LF	216.000
	0440 1 30	UNDERDRAIN, TYPE III	LF	1,205.000
	0440 1 50	UNDERDRAIN, TYPE V	LF	300.000
	0440 70	UNDERDRAIN INSPECTION BOX	EA	1.000
	0440 73 2	UNDERDRAIN OUTLET PIPE, 6"	LF	172.000
	0446 1 1	EDGEDRAIN DRAINCRETE, STANDARD	LF	4,856.000
	0446 71 1	EDGEDRAIN OUTLET PIPE, 4"	LF	446.000
	0514 72	LINER IMPERMEABLE PVC	SY	20,205.000
	0515 2201	PEDESTRIAN, BICYCLE RAILING, STEEL ONLY, 42" PICKET RAIL	LF	384.000
	0520 1 7	CONCRETE CURB & GUTTER, TYPE E	LF	692.000
	0520 1 10	CONCRETE CURB & GUTTER, TYPE F	LF	4,472.000
	0520 2 4	CONCRETE CURB, TYPE D	LF	1,095.000
	0520 3	VALLEY GUTTER- CONCRETE	LF	109.000
	0520 6	SHOULDER GUTTER- CONCRETE	LF	3,235.000
	0520 70	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	54.000
	0521 1	MEDIAN CONCRETE BARRIER WALL	LF	2,189.000
	0521 5 1	CONCRETE TRAFFIC RAILING, BRIDGE 32" F - SHAPE	LF	338.000
	0521 8 1	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, 32" F SHAPE	LF	3,699.000
	0521 72 3	SHOULDER CONCRETE BARRIER WALL, RIGID-SHOULDER	LF	5,914.000
	0521 72 4	SHOULDER CONCRETE BARRIER WALL, RIGID RETAINING	LF	519.000
	0521 72 6	SHOULDER CONCRETE BARRIER WALL, PLAIN - SHOULDER	LF	3,444.000
	0521 72 10	SHOULDER CONCRETE BARRIER WALL, RIGID SHOULDER 42"	LF	299.000
	0521 72 11	SHOULDER CONCRETE BARRIER WALL, RIGID SHOULDER 54"	LF	1,493.000
	0521 73	CONCRETE BARRIER WALL, REMOVAL	LF	1,133.000
	0522 1	SIDEWALK CONCRETE, 4" THICK	SY	1,810.000
	0522 2	SIDEWALK CONCRETE, 6" THICK	SY	348.000
	0524 1 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	74.000
	0524 1 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	3,206.000
	0524 1 4	CONCRETE DITCH PAVEMENT, NON REINFORCED, 6"	SY	10,035.000
	0524 2 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	6,716.000
	0530 3 3	RIPRAP, RUBBLE, BANK AND SHORE	TN	464.100
	0530 3 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	214.300
	0530 74	BEDDING STONE	TN	14,318.500
	0530 78	RIPRAP - ARTICULATING BLOCK	SY	2,375.000
	0536 1 1	GUARDRAIL -ROADWAY	LF	10,912.000
	0536 2	GUARDRAIL- SHOP-BENT PANELS	LF	32.000
	0536 7	SPECIAL GUARDRAIL POST	EA	9.000
	0536 8	GUARDRAIL- BRIDGE ANCHORAGE ASSEMBLY (FURNISH & INSTALL)	EA	5.000
	0536 73	GUARDRAIL REMOVAL	LF	11,569.000
	0536 82	GUARDRAIL ANCHORAGE- CONCRETE BARRIER WALL	EA	2.000
	0536 85 22	GUARDRAIL END ANCHORAGE ASSEMBLY- FLARED	EA	8.000
	0536 85 24	GUARDRAIL END ANCHORAGE ASSEMBLY- PARALLEL	EA	1.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0536 85 25	GUARDRAIL END ANCHORAGE ASSEMBLY- TYPE II	EA	10.000
	0538 1	GUARDRAIL RESET	LF	2,304.000
	0544 75 13	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, REACT 350	EA	4.000
	0544 75 14	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, QUADGUARD	EA	2.000
	0544 75 40	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, OPTIONAL	EA	6.000
	0546 72 51	RUMBLE STRIPS, GROUND-IN, 16" MIN. WIDTH	PM	7.200
	0550 10220	FENCING, TYPE B, 5.1-6.0, STANDARD	LF	33,387.000
	0550 10222	FENCING, TYPE B, 5.1-6.0, W/ VINYL COATING	LF	2,408.000
	0550 10929	FENCING, SPECIAL TYPE, 5.1-6.0', SPECIAL FEATURES	LF	4,170.000
	0550 60214	FENCE GATE, TYPE B, SINGLE, 18.1-20.0' OPENING	EA	19.000
	0550 60224	FENCE GATE, TYPE B, DOUBLE, 18.1-20.0' OPENING	EA	4.000
	0550 60225	FENCE GATE , TYPE B, DOUBLE, 20.1-24' OPENING	EA	7.000
	0550 60234	FENCE GATE, TYPE B, SLIDING/CANTILEVER, 18.1-20.0' OPENING	EA	6.000
	0550 60236	FENCE GATE, TYPE B, SLIDING/CANTILEVER, 24.1-30' OPENING	EA	1.000
	0550 60914	FENCE GATE, SPECIAL TYPE, SINGLE, 18.1-20' OPENING	EA	1.000
	0556 1 5	JACK AND BORE, CASING DIAMETER 24"TO<36"	LF	68.000
	0556 1 7	JACK AND BORE, CASING DIAMETER 48"TO<60"	LF	213.000
	0556 1 8	JACK AND BORE, CASING DIAMETER 60"TO<72"	LF	504.000
	0570 1 2	PERFORMANCE TURF, SOD	SY	354,772.000
	0571 1 11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	20,696.000
	0571 1 12	PLASTIC EROSION MAT, TRM, TYPE 2	SY	5,498.000
	0710 11111	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	NM	48.976
	0710 11122	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 8"	LF	62,528.000
	0710 11123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 12"	LF	440.000
	0710 11124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 18"	LF	9,399.000
	0710 11125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 24"	LF	168.000
	0710 11131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 6"	GM	51.073
	0710 11142	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 8"	LF	3,857.000
	0710 11160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE	EA	9.000
	0710 11170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	7.000
	0710 11211	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	NM	42.868
	0710 11222	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 8"	LF	20,784.000
	0710 11224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 18"	LF	4,801.000
	0710 11231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.183
	0711 11111	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	NM	0.921
	0711 11122	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8"	LF	1,034.000
	0711 11124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18"	LF	734.000
	0711 11131	THERMOPLASTIC, STANDARD, WHITE, SKIP, 6"	GM	2.247
	0711 11211	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	NM	0.422
	0711 11231	THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6"	GM	0.066
	0730 76113	STEEL CASING, OPEN TRENCH, F&I, 24"	LF	23.000
	0730 76118	STEEL CASING, OPEN TRENCH, F&I, 34"	LF	160.000
	0730 76121	STEEL CASING, OPEN TRENCH, F&I, 40"	LF	63.000
	0735 84 3	TOLL PLAZA ISLAND, REMOVE	EA	1.000
	0737 70 1	UTILITY LOCATE, UNDERGROUND	EA	30.000
	0906104 1	MOWING	AC	238.840
	0999 16	PARTNERING, DO NOT BID (25841515201)	LS	1.000
	0999 20	DISPUTES REVIEW BOARD, DO NOT BID	DA	32.000
	0999 25	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25841525201)	LS	1.000
	0999 25	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25841515201)	LS	1.000
AA4 SECTION 0010 ROADWAY	0101 1	MOBILIZATION (25841525201)	LS	1.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0101 1	MOBILIZATION (25841515201)	LS	1.000
	0102 1	MAINTENANCE OF TRAFFIC (25841525201)	LS	1.000
	0102 1	MAINTENANCE OF TRAFFIC (25841515201)	LS	1.000
	0102 2 1	SPECIAL DETOUR 1 (25841515201)	LS	1.000
	0102 2 1	SPECIAL DETOUR 1 (25841525201)	LS	1.000
	0102 14	TRAFFIC CONTROL OFFICER	MH	6,049.000
	0102 60	WORK ZONE SIGN	ED	479,600.000
	0102 61	BUSINESS SIGN	EA	11.000
	0102 71 13	BARRIER WALL, TEMPORARY, F&I, LOW PROFILE, CONCRETE	LF	616.000
	0102 71 14	BARRIER WALL, TEMPORARY, F&I, TYPE K	LF	21,378.000
	0102 71 24	BARRIER WALL, TEMPORARY, RELOCATE, TYPE K	LF	50,775.000
	0102 74 1	BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM	ED	797,243.000
	0102 74 2	BARRICADE, TEMPORARY, TYPE III, 6'	ED	63,626.000
	0102 76	ADVANCE WARNING ARROW PANEL	ED	4,354.000
	0102 77	HIGH INTENSITY FLASHING LIGHTS, TEMP, TYPE B	ED	103,675.000
	0102 78	REFLECTIVE PAVEMENT MARKER,TEMPORARY	EA	19,192.000
	0102 79	LIGHTS,BARRIER WALL MOUNT,TEMP,TYPE C,STEADY BURN	ED	155,876.000
	0102 89 7	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	44.000
	0102 99	CHANGEABLE-VARIABLE MESSAGE SIGN, TEMPORARY	ED	9,995.000
	0102107	TEMPORARY TRAFFIC DETECTION, INTERSECT	DA	1,140.000
	0102150 1	PORTABLE REGULATORY, SIGN	ED	3,616.000
	0102150 2	RADAR SPEED DISPLAY UNIT	ED	3,616.000
	0104 1	ARTIFICIAL COVERINGS FOR EROSION CONTROL	SY	34,996.000
	0104 7	SEDIMENT BASIN	EA	1.000
	0104 10 2	SYNTHETIC BALES	LF	2,631.000
	0104 11	FLOATING TURBIDITY BARRIER	LF	657.000
	0104 12	STAKED TURBIDITY BARRIER	LF	381.000
	0104 13 1	STAKED SILT FENCE, TYPE III	LF	267,060.000
	0104 13 2	STAKED SILT FENCE, TYPE IV	LF	7,230.000
	0104 15	SOIL TRACKING PREVENTION DEVICE	EA	26.000
	0104 16	ROCK BAG	EA	2,280.000
	0109 71 5	FIELD OFFICE,1500 SQ FT	DA	3,506.000
	0110 1 1	CLEARING & GRUBBING (25841525201)	LS	1.000
	0110 1 1	CLEARING & GRUBBING (25841515201)	LS	1.000
	0110 4	REMOVAL OF EXISTING CONCRETE PAVEMENT	SY	26,692.000
	0120 1	REGULAR EXCAVATION	CY	247,530.000
	0120 4	SUBSOIL EXCAVATION	CY	16,368.000
	0120 6	EMBANKMENT	CY	465,136.000
	0120 72	GRAVEL FILL	CY	5,267.000
	0121 70	FLOWABLE FILL	CY	115.000
	0142 70	FILL SAND	CY	22,305.000
	0160 4	TYPE B STABILIZATION	SY	110,045.000
	0162 1 11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	7,799.000
	0285701	OPTIONAL BASE, BASE GROUP 01	SY	3,700.000
	0285702	OPTIONAL BASE, BASE GROUP 02	SY	12,815.000
	0285707	OPTIONAL BASE, BASE GROUP 07	SY	19,902.000
	0285709	OPTIONAL BASE, BASE GROUP 09	SY	8,626.000
	0285711	OPTIONAL BASE, BASE GROUP 11	SY	30,624.000
	0285715	OPTIONAL BASE, BASE GROUP 15	SY	52.000
	0286 1	TURNOUT CONSTRUCTION	SY	524.000
	0287 1	ASPHALT TREATED PERMEABLE BASE	CY	2,869.000
	0327 70 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	27,481.000
	0327 70 11	MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH	SY	64,672.000
	0327 70 19	MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH	SY	338.000
	0334 1 11	SUPERPAVE ASPHALTIC CONC, TRAFFIC A	TN	187.400
	0334 1 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	3,827.300
	0334 1 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	1,036.000
	0334 1 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	6,057.700
	0334 1 24	SUPERPAVE ASPH CONC, TRAF D, PG76-22	TN	12,250.600
	0337 7 22	ASPH CONC FRICTION COURSE, INC BIT, FC-5, PG76-22	TN	4,109.700
	0337 7 33	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, RUBBER	TN	600.500
	0339 1	MISCELLANEOUS ASPHALT PAVEMENT	TN	567.200
	0350 1 5	PLAIN CEMENT CONCRETE PAVEMENT, 10"	SY	2,371.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0350 1 9	PLAIN CEMENT CONCRETE PAVEMENT, VARIABLE 71/2" AVERAGE	SY	558.000
	0350 1 12	PLAIN CEMENT CONCRETE PAVEMENT, 11"	SY	2,628.000
	0350 1 13	PLAIN CEMENT CONCRETE PAVEMENT, 11 1/2"	SY	2,178.000
	0350 1 14	PLAIN CEMENT CONCRETE PAVEMENT, 14"	SY	5,184.000
	0350 1 19	PLAIN CEMENT CONCRETE PAVEMENT, 12 1/2"	SY	21,997.000
	0350 1 21	PLAIN CEMENT CONCRETE PAVEMENT, VARIABLE 11" AVERAGE	SY	2,924.000
	0350 72	CLEANING & RESEALING JOINTS- CONCRETE PAVEMENT	LF	15,137.000
	0352 70	GRINDING CONCRETE PAVEMENT	SY	55,728.000
	0370 1	BRIDGE APPROACH EXPANSION JOINT FOR CONCRETE PAVEMENT	LF	824.000
	0400 1 2	CONCRETE CLASS I, ENDWALLS	CY	24.900
	0400 1 11	CONCRETE CLASS I, RETAINING WALLS	CY	124.500
	0400 2 10	CONCRETE CLASS II, APPROACH SLABS	CY	607.200
	0400 4 1	CONCRETE CLASS IV, CULVERTS	CY	478.500
	0415 1 1	REINF STEEL- ROADWAY	LB	83,351.000
	0415 1 9	REINFORCING STEEL- APPROACH SLABS	LB	121,445.000
	0425 1351	INLETS, CURB, TYPE P-5, <10'	EA	9.000
	0425 1361	INLETS, CURB, TYPE P-6, <10'	EA	1.000
	0425 1461	INLETS, CURB, TYPE J-6, <10'	EA	3.000
	0425 1501	INLETS, DT BOT, TYPE A, <10'	EA	2.000
	0425 1514	INLETS, DT BOT, TYPE B, J BOT, >10'	EA	1.000
	0425 1521	INLETS, DT BOT, TYPE C, <10'	EA	12.000
	0425 1529	INLETS, DT BOT, TYPE C, MODIFY	EA	3.000
	0425 1541	INLETS, DT BOT, TYPE D, <10'	EA	10.000
	0425 1543	INLETS, DITCH BOTTOM, TYPE D, J BOT, <10'	EA	4.000
	0425 1547	INLETS, DITCH BOTTOM, TYPE D, J BOTTOM, <10', SPECIAL	EA	1.000
	0425 1549	INLETS, DT BOT, TYPE D, MODIFY	EA	6.000
	0425 1589	INLETS, DT BOT, TYPE H, MODIFY	EA	6.000
	0425 1701	INLETS, GUTTER, TYPE S, <10'	EA	8.000
	0425 1702	INLETS, GUTTER, TYPE S, >10'	EA	1.000
	0425 1703	INLETS, GUTTER, TYPE S, J BOTTOM <10'	EA	3.000
	0425 1841	INLETS, MEDIAN BARRIER, TYPE 3, <10'	EA	1.000
	0425 1891	INLETS, BARRIER WALL, <10'	EA	50.000
	0425 1892	INLETS, BARRIER WALL, >10'	EA	6.000
	0425 1893	INLETS, BARRIER WALL, J BOT, <10'	EA	15.000
	0425 1894	INLETS, BARRIER WALL, J BOT, >10'	EA	1.000
	0425 1895	INLETS, BARRIER WALL, PARTIAL	EA	5.000
	0425 1899	INLETS, BARRIER WALL, MODIFY	EA	1.000
	0425 2 41	MANHOLES, P-7, <10'	EA	12.000
	0425 2 43	MANHOLES, P-7, PARTIAL	EA	8.000
	0425 2 61	MANHOLES, P-8, <10'	EA	67.000
	0425 2 62	MANHOLES, P-8, >10'	EA	26.000
	0425 2 72	MANHOLES, J-7, >10'	EA	5.000
	0425 2 73	MANHOLES, J-7, PARTIAL	EA	3.000
	0425 2 91	MANHOLES, J-8, <10'	EA	13.000
	0425 2 92	MANHOLES, J-8, >10'	EA	21.000
	0425 5	MANHOLE, ADJUST	EA	1.000
	0425 10	YARD DRAIN	EA	4.000
	0425 11	DRAINAGE STRUCTURE MODIFY	EA	12.000
	0425 78	INLET CAP, PRECAST	EA	4.000
	0430 94 1	DESILTING PIPE, 0 - 24"	LF	24,865.000
	0430 94 2	DESILTING PIPE, 25 - 36"	LF	6,501.000
	0430 94 3	DESILTING PIPE, 37 - 48"	LF	2,150.000
	0430173101	PIPE CULVERT OPTIONAL MATERIAL, ROUND - SHAPE, 0-24", GUTTER DRAIN	LF	39.000
	0430175101	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 0-24"S/CD	LF	22,757.000
	0430175102	PIPE CULVERT, OPT MATERIAL, ROUND, 25-36"S/CD	LF	5,778.000
	0430175103	PIPE CULVERT, OPT MATERIAL, ROUND, 37-48"S/CD	LF	2,424.000
	0430175104	PIPE CULVERT, OPT MATERIAL, ROUND, 49-60"S/CD	LF	25.000
	0430175201	PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 0-24"S/CD	LF	1,040.000
	0430175202	PIPE CULVERT, OPT MATERIAL, OTHER - ELIP/ARCH, 25-36"S/CD	LF	377.000
	0430175204	PIPE CULVERT, OPT MATERIAL, OTHER - ELIP/ARCH, 49-60"S/CD	LF	404.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0430611025	U-ENDWALL, STD 261, BAFFLES, 1:6 SLOPE, 18"PIPE	EA	1.000
	0430611125	U-ENDWALL WITH BAFFLES, STD 261, 1:4 SLOPE, 18"PIPE	EA	1.000
	0430950	DESILTING CONCRETE BOX CULVERT,	CY	1,386.000
	0430982121	MITERED END SECTION, OPTIONAL ROUND, 12" CD	EA	11.000
	0430982123	MITERED END SECTION, OPTIONAL ROUND, 15" CD	EA	1.000
	0430982125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	24.000
	0430982129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	2.000
	0430982133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	9.000
	0430982138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	4.000
	0430982140	MITERED END SECTION, OPTIONAL ROUND, 42" CD	EA	5.000
	0430982141	MITERED END SECTION, OPTIONAL ROUND, 48" CD	EA	1.000
	0430982142	MITERED END SECTION, OPTIONAL ROUND, 54" CD	EA	1.000
	0440 1 20	UNDERDRAIN, TYPE II	LF	216.000
	0440 1 30	UNDERDRAIN, TYPE III	LF	1,205.000
	0440 1 50	UNDERDRAIN, TYPE V	LF	300.000
	0440 70	UNDERDRAIN INSPECTION BOX	EA	1.000
	0440 73 2	UNDERDRAIN OUTLET PIPE, 6"	LF	174.000
	0446 1 1	EDGEDRAIN DRAINCRETE, STANDARD	LF	4,807.000
	0446 71 1	EDGEDRAIN OUTLET PIPE, 4"	LF	446.000
	0514 72	LINER IMPERMEABLE PVC	SY	20,205.000
	0515 2201	PEDESTRIAN, BICYCLE RAILING, STEEL ONLY,42" PICKET RAIL	LF	384.000
	0520 1 7	CONCRETE CURB & GUTTER, TYPE E	LF	692.000
	0520 1 10	CONCRETE CURB & GUTTER, TYPE F	LF	4,472.000
	0520 2 4	CONCRETE CURB, TYPE D	LF	1,095.000
	0520 3	VALLEY GUTTER- CONCRETE	LF	109.000
	0520 6	SHOULDER GUTTER- CONCRETE	LF	3,235.000
	0520 70	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	54.000
	0521 1	MEDIAN CONCRETE BARRIER WALL	LF	2,182.000
	0521 5 1	CONCRETE TRAFFIC RAILING, BRIDGE 32" F - SHAPE	LF	338.000
	0521 8 1	CONCRETE TRAFFIC RAILING BARRIER, RETAINING WALL SYSTEM MOUNTED WITH SLEEPER SLAB, 32" F SHAPE	LF	3,898.000
	0521 72 3	SHOULDER CONCRETE BARRIER WALL, RIGID-SHOULDER	LF	5,825.000
	0521 72 4	SHOULDER CONCRETE BARRIER WALL, RIGID RETAINING	LF	520.000
	0521 72 6	SHOULDER CONCRETE BARRIER WALL, PLAIN - SHOULDER	LF	3,432.000
	0521 72 10	SHOULDER CONCRETE BARRIER WALL, RIGID SHOULDER 42"	LF	299.000
	0521 72 11	SHOULDER CONCRETE BARRIER WALL, RIGID SHOULDER 54"	LF	1,493.000
	0521 73	CONCRETE BARRIER WALL, REMOVAL	LF	1,050.000
	0522 1	SIDEWALK CONCRETE, 4" THICK	SY	1,810.000
	0522 2	SIDEWALK CONCRETE, 6" THICK	SY	348.000
	0524 1 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	74.000
	0524 1 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	3,206.000
	0524 1 4	CONCRETE DITCH PAVEMENT, NON REINFORCED, 6"	SY	9,909.000
	0524 2 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	6,753.000
	0530 3 3	RIPRAP, RUBBLE, BANK AND SHORE	TN	431.600
	0530 3 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	214.300
	0530 74	BEDDING STONE	TN	14,318.500
	0530 78	RIPRAP - ARTICULATING BLOCK	SY	2,375.000
	0536 1 1	GUARDRAIL -ROADWAY	LF	10,916.000
	0536 2	GUARDRAIL- SHOP-BENT PANELS	LF	32.000
	0536 7	SPECIAL GUARDRAIL POST	EA	9.000
	0536 8	GUARDRAIL- BRIDGE ANCHORAGE ASSEMBLY (FURNISH & INSTALL)	EA	5.000
	0536 73	GUARDRAIL REMOVAL	LF	11,569.000
	0536 82	GUARDRAIL ANCHORAGE- CONCRETE BARRIER WALL	EA	2.000
	0536 85 22	GUARDRAIL END ANCHORAGE ASSEMBLY- FLARED	EA	8.000
	0536 85 24	GUARDRAIL END ANCHORAGE ASSEMBLY- PARALLEL	EA	1.000
	0536 85 25	GUARDRAIL END ANCHORAGE ASSEMBLY- TYPE II	EA	10.000
	0538 1	GUARDRAIL RESET	LF	2,304.000
	0544 75 13	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, REACT 350	EA	4.000
	0544 75 14	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, QUADGUARD	EA	2.000
	0544 75 40	CRASH CUSHION - VEHICULAR IMPACT ATTENUATOR, OPTIONAL	EA	6.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0546 72 51	RUMBLE STRIPS, GROUND-IN, 16" MIN. WIDTH	PM	7.200
	0550 10220	FENCING, TYPE B, 5.1-6.0, STANDARD	LF	33,387.000
	0550 10222	FENCING, TYPE B, 5.1-6.0, W/ VINYL COATING	LF	2,408.000
	0550 10929	FENCING, SPECIAL TYPE, 5.1-6.0', SPECIAL FEATURES	LF	4,170.000
	0550 60214	FENCE GATE, TYPE B, SINGLE, 18.1-20.0' OPENING	EA	19.000
	0550 60224	FENCE GATE, TYPE B, DOUBLE, 18.1-20.0' OPENING	EA	4.000
	0550 60225	FENCE GATE , TYPE B, DOUBLE, 20.1-24' OPENING	EA	7.000
	0550 60234	FENCE GATE, TYPE B, SLIDING/CANTILEVER, 18.1-20.0' OPENING	EA	6.000
	0550 60236	FENCE GATE, TYPE B, SLIDING/CANTILEVER, 24.1-30' OPENING	EA	1.000
	0550 60914	FENCE GATE, SPECIAL TYPE, SINGLE, 18.1-20' OPENING	EA	1.000
	0556 1 5	JACK AND BORE, CASING DIAMETER 24"TO<36"	LF	68.000
	0556 1 7	JACK AND BORE, CASING DIAMETER 48"TO<60"	LF	213.000
	0556 1 8	JACK AND BORE, CASING DIAMETER 60"TO<72"	LF	504.000
	0570 1 2	PERFORMANCE TURF, SOD	SY	354,553.000
	0571 1 11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	20,381.000
	0571 1 12	PLASTIC EROSION MAT, TRM, TYPE 2	SY	5,498.000
	0710 11111	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	NM	53.953
	0710 11122	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 8"	LF	69,183.000
	0710 11123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 12"	LF	440.000
	0710 11124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 18"	LF	9,307.000
	0710 11125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 24"	LF	237.000
	0710 11131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 6"	GM	52.725
	0710 11142	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 8"	LF	2,148.000
	0710 11160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE	EA	9.000
	0710 11170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	7.000
	0710 11211	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	NM	46.448
	0710 11222	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 8"	LF	19,578.000
	0710 11224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 18"	LF	4,617.000
	0710 11231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.183
	0711 11111	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	NM	1.364
	0711 11122	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8"	LF	1,034.000
	0711 11124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18"	LF	734.000
	0711 11131	THERMOPLASTIC, STANDARD, WHITE, SKIP, 6"	GM	2.583
	0711 11211	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	NM	0.373
	0711 11231	THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6"	GM	0.033
	0730 76113	STEEL CASING, OPEN TRENCH, F&I, 24"	LF	9.000
	0730 76118	STEEL CASING, OPEN TRENCH, F&I, 34"	LF	126.000
	0730 76121	STEEL CASING, OPEN TRENCH, F&I, 40"	LF	63.000
	0735 84 3	TOLL PLAZA ISLAND, REMOVE	EA	1.000
	0737 70 1	UTILITY LOCATE, UNDERGROUND	EA	30.000
	0906104 1	MOWING	AC	238.840
	0999 16	PARTNERING, DO NOT BID (25841515201)	LS	1.000
	0999 20	DISPUTES REVIEW BOARD, DO NOT BID	DA	32.000
	0999 25	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25841525201)	LS	1.000
	0999 25	INITIAL CONTINGENCY AMOUNT, DO NOT BID (25841515201)	LS	1.000
SECTION 0011	SIGNING			
	0519 78	BOLLARDS	EA	2.000
	0630 1 12	CONDUIT - SIGNALS, FURNISH & INSTALL, UNDERGROUND	LF	100.000
	0635 1 11	PULL & JUNCTION BOXES, F&I, PULL BOX	EA	7.000
	0700 20 11	SINGLE POST SIGN, F&I, LESS THAN 12 SF	AS	121.000
	0700 20 12	SINGLE POST SIGN, F&I, 12-20 SF	AS	57.000
	0700 20 19	SINGLE POST SIGN, F&I, NON - STANDARD	AS	1.000
	0700 20 40	SINGLE POST SIGN, RELOCATE	AS	7.000
	0700 20 60	SINGLE POST SIGN, REMOVE	AS	6.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0700 21 11	MULTI- POST SIGN, F&I, 50 SF OR LESS	AS	9.000
	0700 21 12	MULTI- POST SIGN, F&I, 51 - 100 SF	AS	11.000
	0700 21 14	MULTI- POST SIGN, F&I, 151 - 200 SF	AS	1.000
	0700 21 16	MULTI- POST SIGN, F&I, 251 - 300 SF	AS	1.000
	0700 21 17	MULTI- POST SIGN, F&I, GREATER THAN 300 SF	AS	1.000
	0700 21 33	MULTI- POST SIGN, INSTALL, 101 - 150	AS	1.000
	0700 21 40	MULTI- POST SIGN, RELOCATE	AS	1.000
	0700 21 60	MULTI- POST SIGN, REMOVE	AS	10.000
	0700 22600	OVERHEAD TRUSS SPAN SIGN,REMOVE	AS	2.000
	0700 23600	OVERHEAD TRUSS CANTILEVER SIGN, REMOVE	AS	13.000
	0700 38033	SIGN LT'D OVHD TRUSS-MONOTUBE, T 41-60,S201-300	AS	1.000
	0700 38036	SIGN LT'D OVHD TRUSS-MONOTUBE, T 41-60,S501-600	AS	1.000
	0700 38044	SIGN LT'D OVHD TRUSS-MONOTUBE, T 61-80,S301-400	AS	1.000
	0700 38048	SIGN LT'D OVHD TRUSS-MONOTUBE, T 61-80,S >700	AS	2.000
	0700 38058	SIGN LT'D OVHD TRUSS-MONOTUBE, T 81-100,S OVER 700	AS	2.000
	0700 38065	SIGN LT'D OVHD TRUSS-MONOTUBE, T 101-120,S401-500	AS	1.000
	0700 38066	SIGN LT'D OVHD TRUSS-MONOTUBE, T 101-120,S501-600	AS	1.000
	0700 38075	SIGN LT'D OVHD TRUSS-MONOTUBE, T 121-140,S 401-500	AS	1.000
	0700 39 24	SIGN LT'D OVHD CTLVR-MONOTUBE, C 21- 30, S 151-200	AS	2.000
	0700 39 25	SIGN LT'D OVHD CTLVR-MONOTUBE, C 21- 30, S 201-250	AS	1.000
	0700 39 26	SIGN LT'D OVHD CTLVR-MONOTUBE, C 21- 30, S 251-300	AS	4.000
	0700 39 36	SIGN LT'D OVHD CTLVR-MONOTUBE, C 31- 40, S251-300	AS	1.000
	0700 39 37	SIGN LT'D OVHD CTLVR-MONOTUBE, C 31- 40, S OVER 300	AS	5.000
	0700 39 44	SIGN LT'D OVHD CTLVR-MONOTUBE, C 41- 50, S151-200	AS	1.000
	0700 39 46	SIGN LT'D OVHD CTLVR-MONOTUBE, C 41- 50, S251-300	AS	2.000
	0700 39 47	SIGN LT'D OVHD CTLVR-MONOTUBE, C 41- 50, OVER 300	AS	9.000
	0700 39 57	SIGN LT'D OVHD CTLVR-MONOTUBE, C 51- 60, OVER 300	AS	2.000
	0700 39 74	SIGN LT'D OVHD CTLVR-MONOTUBE, C 71- 80, S151-200	AS	1.000
	0700 48 12	SIGN PANELS, F & I, 101 - 200	EA	3.000
	0700 48 14	SIGN PANELS, F&I, 301 - 400	EA	1.000
	0700 48 18	SIGN PANELS, F & I, 15 OR <	EA	1.000
	0700 48 19	SIGN PANELS, F & I, 16 - 100	EA	1.000
	0700 48 38	SIGN PANELS, OVERLAY, 15 OR LESS	EA	1.000
	0700 48 39	SIGN PANELS, OVERLAY, 16 - 100	EA	3.000
	0700 48 42	SIGN PANELS, RELOCATE, 101 - 200	EA	1.000
	0700 48 44	SIGN PANELS, RELOCATE, 301 - 400	EA	1.000
	0700 48 46	SIGN PANELS, RELOCATE, 501 - 600	EA	1.000
	0700 48 52	SIGN PANELS, REPLACE, 101 - 200	EA	5.000
	0700 48 60	SIGN PANELS, REMOVE	EA	12.000
	0700 70	SIGN LIGHTED OVERHEAD, BRIDGE MOUNTED	AS	2.000
	0705 11 1	DELINEATOR, FLEXIBLE TUBULAR	EA	124.000
	0706 3	RETRO-REFLECTIVE PAVEMENT MARKERS	EA	7,408.000
	0711 11111	THERMOPLASTIC, STANDARD, WHITE, SOLID, 6"	NM	14.781
	0711 11122	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8"	LF	37,460.000
	0711 11123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12"	LF	1,593.000
	0711 11124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18"	LF	9,997.000
	0711 11125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24"	LF	281.000
	0711 11131	THERMOPLASTIC, STANDARD, WHITE, SKIP, 6"	GM	4.994
	0711 11142	THERMOPLASTIC, STANDARD, WHITE, SKIP, 8"	LF	4,551.000
	0711 11160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE	EA	51.000
	0711 11170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	39.000
	0711 11180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	10.000
	0711 11211	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 6"	NM	15.209
	0711 11222	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 8"	LF	7,330.000
	0711 11224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18"	LF	3,842.000
	0711 11231	THERMOPLASTIC, STANDARD, YELLOW, SKIP, 6"	GM	0.002
	0711 14160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	14.000
	0711 14170	THERMOPLASTIC, PREFORMED, WHITE, ARROWS	EA	7.000
	0711 17	THERMOPLASTIC, REMOVE	SF	19,116.000
	0713102533	PREFORMED TAPE, HIGH PERFORMANCE, WHITE/BLACK CONTRAST, SKIP, 9"	GM	6.399
	0741 70111	TMS VEHICLE SENSOR, CLASS II, F&I, TYP 1, 1/2 LN	EA	4.000
	0745 70 12	TMS INDUCTIVE LOOP ASSEM, F&I, 2 LOOPS / LANE	AS	8.000
	0746 71131	TMS CABINET,F&I, TYPE III, PEDESTAL MNT, 1 BACKPLANE	EA	4.000

SECTION 0012 LIGHTING

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0715 5 12	LUMINAIRE & BRACKET ARM, F&I, GALVANIZED STEEL	EA	16.000
AA1 SECTION	0013 LIGHTING			
	0555 1 2	DIRECTIONAL BORE, 6" TO < 12"	LF	1,364.000
	0715 1 11	LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	LF	13,887.000
	0715 1 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	305,981.000
	0715 1 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	51,256.000
	0715 1 15	LIGHTING CONDUCTORS, F&I, NO.1/0 - 3/0	LF	4,449.000
	0715 1 16	LIGHTING CONDUCTORS, F&I, NO.4 OR LARGER	LF	3,155.000
	0715 1 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	1,830.000
	0715 2 11	LIGHTING - CONDUIT, F&I, UNDERGROUND	LF	54,977.000
	0715 2 13	LIGHTING CONDUIT, F&I, SURFACE MOUNT	LF	6,302.000
	0715 4400	LIGHT POLE COMPLETE, RELOCATE	EA	6.000
	0715 4600	LIGHT POLE COMPLETE, REMOVE	EA	130.000
	0715 5 11	LUMINAIRE & BRACKET ARM, F&I, ALUMINUM	EA	2.000
	0715 5 50	LUMINAIRE & BRACKET ARM, REMOVE	EA	2.000
	0715 7 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	24.000
	0715 7 31	LOAD CENTER, RELOCATE, SECONDARY VOLTAGE	EA	2.000
	0715 11126	LUMINAIRE, F&I, UNDER DECK, PENDANT HUNG	EA	82.000
	0715 14 11	LIGHTING - PULL BOX, F&I, ROADSIDE-MOULDED	EA	302.000
	0715 14 14	LIGHTING - PULL BOX, F&I, SURFACE MOUNT	EA	40.000
	0715500 1	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	EA	119.000
	0715500 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	116.000
	0715511240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, GALVANIZED STEEL, 40'	EA	84.000
	0715511250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, GALVANIZED STEEL, 50'	EA	19.000
	0715511315	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, CONCRETE, 15'	EA	14.000
	0715513215	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 15'	EA	3.000
	0715513240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 40'	EA	53.000
	0715573230	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 30'	EA	2.000
	0715573240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 40'	EA	11.000
	0715573250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 50'	EA	7.000
	0715575230	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, STEEL, 30'	EA	18.000
	0715575240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, STEEL, 40'	EA	186.000
	0715575250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, GALVANIZED STEEL, 50'	EA	2.000
	0715577240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, DOUBLE ARM ,BRIDGE MOUNT, ALUMINUM, 40'	EA	5.000
AA2 SECTION	0014 LIGHTING			
	0555 1 2	DIRECTIONAL BORE, 6" TO < 12"	LF	1,322.000
	0715 1 11	LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	LF	13,887.000
	0715 1 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	294,721.000
	0715 1 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	47,386.000
	0715 1 15	LIGHTING CONDUCTORS, F&I, NO.1/0 - 3/0	LF	4,585.000
	0715 1 16	LIGHTING CONDUCTORS, F&I, NO.4 OR LARGER	LF	3,075.000
	0715 1 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	1,830.000
	0715 2 11	LIGHTING - CONDUIT, F&I, UNDERGROUND	LF	56,004.000
	0715 2 13	LIGHTING CONDUIT, F&I, SURFACE MOUNT	LF	6,347.000
	0715 4400	LIGHT POLE COMPLETE, RELOCATE	EA	6.000
	0715 4600	LIGHT POLE COMPLETE, REMOVE	EA	129.000
	0715 5 11	LUMINAIRE & BRACKET ARM, F&I, ALUMINUM	EA	2.000
	0715 5 50	LUMINAIRE & BRACKET ARM, REMOVE	EA	2.000
	0715 7 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	24.000
	0715 7 31	LOAD CENTER, RELOCATE, SECONDARY VOLTAGE	EA	2.000
	0715 11126	LUMINAIRE, F&I, UNDER DECK, PENDANT HUNG	EA	82.000
	0715 14 11	LIGHTING - PULL BOX, F&I, ROADSIDE-MOULDED	EA	308.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0715 14 14	LIGHTING - PULL BOX, F&I, SURFACE MOUNT	EA	38.000
	0715500 1	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	EA	125.000
	0715500 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	108.000
	0715511240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, GALVANIZED STEEL, 40'	EA	84.000
	0715511250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, GALVANIZED STEEL, 50'	EA	19.000
	0715511315	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, CONCRETE, 15'	EA	14.000
	0715513215	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 15'	EA	3.000
	0715513240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 40'	EA	42.000
	0715573230	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 30'	EA	2.000
	0715573240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 40'	EA	11.000
	0715573250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 50'	EA	7.000
	0715575230	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, STEEL, 30'	EA	18.000
	0715575240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, STEEL, 40'	EA	188.000
	0715575250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, GALVANIZED STEEL, 50'	EA	2.000
	0715577240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, DOUBLE ARM BRIDGE MOUNT, ALUMINUM, 40'	EA	5.000
AA3 SECTION	0015 LIGHTING			
	0555 1 2	DIRECTIONAL BORE, 6" TO < 12"	LF	1,277.000
	0715 1 11	LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	LF	13,887.000
	0715 1 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	295,344.000
	0715 1 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	43,231.000
	0715 1 15	LIGHTING CONDUCTORS, F&I, NO.1/0 - 3/0	LF	3,510.000
	0715 1 16	LIGHTING CONDUCTORS, F&I, NO.4 OR LARGER	LF	3,210.000
	0715 1 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	1,830.000
	0715 2 11	LIGHTING - CONDUIT, F&I, UNDERGROUND	LF	55,764.000
	0715 2 13	LIGHTING CONDUIT, F&I, SURFACE MOUNT	LF	6,347.000
	0715 4400	LIGHT POLE COMPLETE, RELOCATE	EA	6.000
	0715 4600	LIGHT POLE COMPLETE, REMOVE	EA	131.000
	0715 5 11	LUMINAIRE & BRACKET ARM, F&I, ALUMINUM	EA	2.000
	0715 5 50	LUMINAIRE & BRACKET ARM, REMOVE	EA	2.000
	0715 7 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	24.000
	0715 7 31	LOAD CENTER, RELOCATE, SECONDARY VOLTAGE	EA	2.000
	0715 11126	LUMINAIRE, F&I, UNDER DECK, PENDANT HUNG	EA	82.000
	0715 14 11	LIGHTING - PULL BOX, F&I, ROADSIDE-MOULDED	EA	306.000
	0715 14 14	LIGHTING - PULL BOX, F&I, SURFACE MOUNT	EA	36.000
	0715500 1	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	EA	124.000
	0715500 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	105.000
	0715511240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, GALVANIZED STEEL, 40'	EA	82.000
	0715511250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, GALVANIZED STEEL, 50'	EA	19.000
	0715511315	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, CONCRETE, 15'	EA	14.000
	0715513215	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 15'	EA	3.000
	0715513240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 40'	EA	48.000
	0715573230	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 30'	EA	2.000
	0715573240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 40'	EA	11.000
	0715573250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 50'	EA	7.000
	0715575230	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, STEEL,	EA	18.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
		30'		
	0715575240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, STEEL, 40'	EA	189.000
	0715575250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, GALVANIZED STEEL, 50'	EA	2.000
	0715577240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, DOUBLE ARM BRIDGE MOUNT, ALUMINUM, 40'	EA	6.000
AA4 SECTION	0016 LIGHTING			
	0555 1 2	DIRECTIONAL BORE, 6" TO < 12"	LF	1,277.000
	0715 1 11	LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	LF	13,887.000
	0715 1 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	293,154.000
	0715 1 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	44,821.000
	0715 1 15	LIGHTING CONDUCTORS, F&I, NO.1/0 - 3/0	LF	3,120.000
	0715 1 16	LIGHTING CONDUCTORS, F&I, NO.4 OR LARGER	LF	3,210.000
	0715 1 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	1,830.000
	0715 2 11	LIGHTING - CONDUIT, F&I, UNDERGROUND	LF	55,409.000
	0715 2 13	LIGHTING CONDUIT, F&I, SURFACE MOUNT	LF	6,347.000
	0715 4400	LIGHT POLE COMPLETE, RELOCATE	EA	6.000
	0715 4600	LIGHT POLE COMPLETE, REMOVE	EA	129.000
	0715 5 11	LUMINAIRE & BRACKET ARM, F&I, ALUMINUM	EA	2.000
	0715 5 50	LUMINAIRE & BRACKET ARM, REMOVE	EA	2.000
	0715 7 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	24.000
	0715 7 31	LOAD CENTER, RELOCATE, SECONDARY VOLTAGE	EA	2.000
	0715 11126	LUMINAIRE, F&I, UNDER DECK, PENDANT HUNG	EA	82.000
	0715 14 11	LIGHTING - PULL BOX, F&I, ROADSIDE-MOULDED	EA	318.000
	0715 14 14	LIGHTING - PULL BOX, F&I, SURFACE MOUNT	EA	35.000
	0715500 1	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	EA	122.000
	0715500 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	105.000
	0715511240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, GALVANIZED STEEL, 40'	EA	89.000
	0715511250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, GALVANIZED STEEL, 50'	EA	19.000
	0715511315	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, CONCRETE, 15'	EA	14.000
	0715513215	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 15'	EA	3.000
	0715513240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 40'	EA	40.000
	0715573230	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 30'	EA	2.000
	0715573240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 40'	EA	11.000
	0715573250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I INTERNAL VIBRATION DAMPER, SINGLE ARM WALL MOUNT, GALVANIZED STEEL, 50'	EA	7.000
	0715575230	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, STEEL, 30'	EA	18.000
	0715575240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, STEEL, 40'	EA	189.000
	0715575250	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, SINGLE ARM BRIDGE MOUNT, GALVANIZED STEEL, 50'	EA	2.000
	0715577240	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, INTERNAL VIBRATION DAMPER, DOUBLE ARM BRIDGE MOUNT, ALUMINUM, 40'	EA	6.000
SECTION	0017 SIGNALIZATION			
	0555 1 1	DIRECTIONAL BORE, LESS THAN 6"	LF	185.000
	0555 1 2	DIRECTIONAL BORE, 6" TO < 12"	LF	645.000
	0630 1 12	CONDUIT - SIGNALS, FURNISH & INSTALL, UNDERGROUND	LF	230.000
	0630 1 13	CONDUIT - SIGNALS, FURNISH & INSTALL, SAWCUT & PLACE UNDER EXISTING PAVEMENT	LF	5.000
	0632 7 1	CABLE, SIGNAL, FURNISH & INSTALL	PI	2.000
	0634 4142	SPAN WIRE ASSEMBLY, F&I, SINGLE POINT, DIAGONAL	PI	1.000
	0635 1 11	PULL & JUNCTION BOXES, F&I, PULL BOX	EA	16.000
	0650 51311	TRAFFIC SIGNAL, F&I, 3 SECTION, 1 WAY, STANDARD	AS	7.000
	0653191	PEDESTRIAN SIGNAL, F&I, LED - COUNT DOWN, 1 DIRECTION	AS	6.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0653192	PEDESTRIAN SIGNAL, F&I, LED - COUNT DOWN, 2 DIRECTIONS	AS	1.000
	0659101	SIGNAL HEAD AUXILIARIES, F&I, BACK PLATES 3 SECT	EA	5.000
	0659106	SIGNAL HEAD AUXILIARIES, F&I, TUNNEL VISOR	EA	21.000
	0659107	SIGNAL HEAD AUXILIARIES, F&I, ALUMINUM PEDESTAL	EA	7.000
	0660 2106	LOOP ASSEMBLY, F&I, TYPE F	AS	8.000
	0665 13	PEDESTRIAN DETECTOR, F&I, DETECTOR WITH SIGN ONLY	EA	8.000
	0670 5410	TRAFFIC CONTROLLER ASSEMBLY, MODIFY, NEMA	AS	1.000
	0670 5411	TRAFFIC CONTROLLER ASSEMBLY, MODIFY, NEMA, 1 PREEMPT	AS	1.000
	0678 1104	CONTROLLER ACCESSORIES, F&I, LOAD SWITCH	EA	4.000
	0685106	SYSTEM AUXILIARIES, F&I, UNINTERRUPTIBLE POWER SOURCE	EA	2.000
	0690 10	SIGNAL HEAD TRAFFIC ASSEMBLY REMOVAL	EA	9.000
	0690 80	SPAN WIRE ASSEMBLY, REMOVE	EA	1.000
	0690 90	CONDUIT & CABLING REMOVE	PI	1.000
	0690100	SIGNAL EQUIPMENT MISCELLANEOUS REMOVE	PI	2.000
	0700 48 60	SIGN PANELS, REMOVE	EA	1.000
SECTION 0018 LANDSCAPE / PERIPHERAL				
	0550 10929	FENCING, SPECIAL TYPE, 5.1-6.0', SPECIAL FEATURES	LF	24.000
	0555 1 2	DIRECTIONAL BORE, 6" TO < 12"	LF	150.000
	0580 1 1	LANDSCAPE COMPLETE- SMALL PLANTS (25841515201)	LS	1.000
	0580 1 1	LANDSCAPE COMPLETE- SMALL PLANTS (25841525201)	LS	1.000
	0580 1 2	LANDSCAPE COMPLETE- LARGE PLANTS (25841515201)	LS	1.000
	0580 1 2	LANDSCAPE COMPLETE- LARGE PLANTS (25841525201)	LS	1.000
SECTION 0019 UTILITIES				
	1050 11125	UTILITY PIPE, F&I, CONCRETE, WATER / SEWER, 20 -49.9"	LF	125.000
	1050 11223	UTILITY PIPE, F&I, PVC, WATER / SEWER, 5 - 7.9"	LF	286.000
	1050 11224	UTILITY PIPE, F&I, PVC, WATER / SEWER, 8 -19.9"	LF	865.000
	1050 11321	UTILITY PIPE, F&I, PE, WATER / SEWER, 0 - 1.9"	LF	1,190.000
	1050 11322	UTILITY PIPE, F&I, PE, WATER / SEWER, 2 - 4.9"	LF	220.000
	1050 11423	UTILITY PIPE, F&I, DI/CI, WATER / SEWER, 5 - 7.9"	LF	164.000
	1050 11424	UTILITY PIPE, F&I, DI/CI, WATER / SEWER, 8 - 19.9"	LF	6,631.000
	1050 11425	UTILITY PIPE, F&I, DI/CI, WATER / SEWER, 20 - 49.9"	LF	1,540.000
	1050 11514	UTILITY PIPE, F&I, STEEL, CASING / CONDUIT, 8.0-19.9"	LF	172.000
	1050 11515	UTILITY PIPE, F&I, STEEL, CASING / CONDUIT, 20.0-49.9"	LF	293.000
	1050 16002	UTILITY PIPE,REMOVE & DISPOSE, 2-4.9"	LF	1,519.000
	1050 16003	UTILITY PIPE,REMOVE & DISPOSE, 5-7.9"	LF	2,687.000
	1050 16004	UTILITY PIPE,REMOVE & DISPOSE, 8-19.9"	LF	10,571.000
	1050 16005	UTILITY PIPE,REMOVE & DISPOSE & DISPOSE, 20-49.9"	LF	1,585.000
	1050 18002	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 2- 4.9"	LF	722.000
	1050 18003	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 5- 7.9"	LF	4,043.000
	1050 18004	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 8-19.9"	LF	9,228.000
	1050 18005	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 20-49.9"	LF	560.000
	1055 11254	UTILITY FITTINGS, F&I, PVC, CAP/PLUG, 8 - 19.9"	EA	13.000
	1055 11264	UTILITY FITTINGS, F&I, PVC, Y FITTING, 8 - 19.9"	EA	2.000
	1055 11295	UTILITY FITTINGS, F&I, PVC, SPECIAL, 20 - 49.9"	EA	1.000
	1055 11414	UTILITY FITTINGS, F&I, DI/CI, ELBOW, 8 - 19.9"	EA	42.000
	1055 11415	UTILITY FITTINGS, F&I, DI/CI, ELBOW, 20 - 49.9"	EA	15.000
	1055 11424	UTILITY FITTINGS, F&I, DI/CI, TEE, 8 - 19.9"	EA	16.000
	1055 11425	UTILITY FITTINGS, F&I, DI/CI, TEE, 20 - 49.9"	EA	1.000
	1055 11434	UTILITY FITTINGS, F&I, DI/CI, REDUCER, 8 - 19.9"	EA	7.000
	1055 11444	UTILITY FITTINGS, F&I, DI/CI, UNION, 8 - 19.9"	EA	1.000
	1055 11454	UTILITY FITTINGS, F&I, DI/CI, CAP/PLUG, 8 - 19.9"	EA	19.000
	1055 11455	UTILITY FITTINGS, F&I, DI/CI, CAP / PLUG, 20 - 49.9"	EA	2.000
	1055 16	UTILITY FITTINGS, REMOVE & DISPOSAL	EA	1.000
	1060 11222	UTILITY STRUCTURE, BELOW GROUND, F&I, WATER / SEWER > 80 FT3, 6.1' - 12'	EA	4.000
	1060 11223	UTILITY STRUCTURE, BELOW GROUND, F&I, WATER / SEWER > 80 FT3, > 12'	EA	3.000
	1060 15	UTILITY STRUCTURE, BELOW GROUND, ADJUST/MODIFY	EA	1.000
	1060 16	UTILITY STRUCTURE, BELOW GROUND, REMOVE&DISPOSE CONTRACTOR TAKES OWNERSHIP	EA	18.000
	1080 11101	UTILITY FIXTURES, F&I, 0 - 1.9", VALVE/METER BOX	EA	66.000
	1080 11203	UTILITY FIXTURES, F&I, 2-4.9", TAPPING SADDLE/SLEEVE	EA	3.000
	1080 11206	UTILITY FIXTURES, F&I, 2-4.9", VAC/AIR ASSEMBLY	EA	1.000
	1080 11304	UTILITY FIXTURES, F&I, 5.0 - 7.9", VALVE ASSEMBLY	EA	6.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	1080 11307	UTILITY FIXTURES, F&I, 5-7.9", LINE STOP ASSEMBLY	EA	1.000
	1080 11403	UTILITY FIXTURES, F&I, 8.0-19.9", TAPPING SADDLE/SLEEVE	EA	4.000
	1080 11404	UTILITY FIXTURES, F&I, 8.0-19.9", VALVE ASSEMBLY	EA	29.000
	1080 11503	UTILITY FIXTURES, F&I, 20-49.9", TAPPING SADDLE/SLEEVE	EA	1.000
	1080 11504	UTILITY FIXTURES, F&I, 20-49.9", VALVE ASSEMBLY	EA	3.000
	1080 11507	UTILITY FIXTURES, F&I, 20-49.9", LINE STOP ASSEMBLY	EA	1.000
	1080 15	UTILITY FIXTURES, ADJUST & MODIFY	EA	2.000
	1080 16	UTILITY FIXTURES, REMOVE & DISPOSE	EA	5.000
	1644116 08	FIRE HYDRANT, STANDARD, F&I, 3 WAY, 2 HOSE, 1 PUMPER, 6"	EA	13.000
	1644900	FIRE HYDRANT, REMOVE	EA	11.000
SECTION 0020 ARCHITECTURAL				
	0455 88 3	DRILLED SHAFT, 36" DIA	LF	3,119.000
	0455111	CORE-PILOT HOLE, DRILLED SHAFT EXCAVATION	LF	4,302.000
	0455122 3	EXCAVATION UNCLASSIFIED SHAFT, 36" DIA	LF	3,528.000
	0455142	CROSSHOLE SONIC LOGGING	EA	8.000
	0715 11115	LUMINAIRE, F&I, ROADWAY, WALL MOUNT	EA	16.000
	0735 74	TOLL PLAZA, SINGLE LOCATION (25841515201)	LS	1.000
	0750 1 19	ARCHITECTURAL, BUILDING, NEW, OTHER BUILDING (25841515201)	LS	1.000
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841515201)	LS	1.000
AA1 SECTION 0021 ARCHITECTURAL				
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841515201)	LS	1.000
AA2 SECTION 0022 ARCHITECTURAL				
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841515201)	LS	1.000
AA3 SECTION 0023 ARCHITECTURAL				
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841515201)	LS	1.000
AA4 SECTION 0024 ARCHITECTURAL				
	0751 11 1	ARCHITECTURAL -SPECIAL, WALLS & TOWERS (25841515201)	LS	1.000
SECTION 0025 INTELLIGENT TRANSPORTATION SYSTEM				
	0555 1 1	DIRECTIONAL BORE, LESS THAN 6"	LF	15,343.000
	0555 1 2	DIRECTIONAL BORE, 6" TO < 12"	LF	110.000
	0630 1 12	CONDUIT - SIGNALS, FURNISH & INSTALL, UNDERGROUND	LF	416.000
	0635 1 11	PULL & JUNCTION BOXES, F&I, PULL BOX	EA	8.000
	0641 2 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	28.000
	0685106	SYSTEM AUXILIARIES, F&I, UNINTERRUPTIBLE POWER SOURCE	EA	20.000
	0690 32 1	POLE REMOVAL, SHALLOW, DIRECT BURIAL	EA	1.000
	0737 70 1	UTILITY LOCATE, UNDERGROUND	EA	22.000
	0741 70111	TMS VEHICLE SENSOR, CLASS II, F&I, TYP 1, 1/2 LN	EA	13.000
	0744 70 11	TMS SOLAR POWER UNIT, F&I, NEW POLE	EA	1.000
	0745 70 12	TMS INDUCTIVE LOOP ASSEM, F&I, 2 LOOPS / LANE	AS	13.000
	0746 71132	TMS CABINET,F&I, TYPE III, PEDESTAL MNT, 2 BACKPLANE	EA	9.000
	0780 1 11	ITS ELECTRICAL POWER, F&I, SERVICE	AS	3.000
	0780 1 12	ITS ELECTRICAL POWER, F&I, SERVICE WIRE	LF	18,249.000
	0780 1 13	ITS ELECTRICAL POWER, F&I, SERVICE DISCONNECT	EA	47.000
	0780 1 42	ITS ELECTRICAL POWER, RELOCATE, SERVICE WIRE	LF	5,700.000
	0780 1 61	ITS ELECTRICAL POWER, REMOVE & DISPOSE, SERVICE	LF	1.000
	0780 1 62	ITS ELECTRICAL POWER, REMOVE & DISPOSE, SERVICE WIRE	LF	45.000
	0780 1 63	ITS ELECTRICAL POWER, REMOVE & DISPOSE, SERVICE DISCONNECT	EA	1.000
	0781 11222	ITS DYNAMIC MESSAGE SIGN, F&I, LED FULL MATRIX, FULL SPAN, TRUSS - 41 - 60'	EA	1.000
	0781 11223	ITS DYNAMIC MESSAGE SIGN, F&I, LED FULL MATRIX, FULL SPAN, TRUSS - 61 - 80'	EA	1.000
	0781 11231	ITS DYNAMIC MESSAGE SIGN, F&I, LED FULL MATRIX, CANTILEVER, TRUSS - 0 - 40'	EA	1.000
	0781 11232	ITS DYNAMIC MESSAGE SIGN, F&I, LED FULL MATRIX, CANTILEVER, TRUSS - 41 - 60'	EA	2.000
	0781 19225	ITS DYNAMIC MESSAGE SIGN, F&I TRUSS, INSTALL SIGN, LED FULL MATRIX, FULL SPAN, TRUSS - 101 TO 120'	EA	1.000
	0782 1 11	ITS CCTV CAMERA, F&I, DOME ENCLOSURE - PRESSURIZED	EA	15.000
	0783 1121	ITS FIBER OPTIC CABLE, F& I, UNDERGROUND, 2 -12 FIBERS	LF	16,816.000
	0783 1123	ITS FIBER OPTIC CABLE, F& I, UNDERGROUND, 49 - 96	LF	61,023.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: T7209

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
		FIBERS		
	0783 1421	ITS FIBER OPTIC CABLE,RELOCATE,UNDERGROUND,2-12 FIBERS	LF	260.000
	0783 1523	ITS FIBER OPTIC CABLE, ADJUST & MODIFY, UNDERGROUND, 49 - 96 FIBERS	LF	339.000
	0783 1600	ITS FIBER OPTIC CABLE, REMOVE	LF	4,021.000
	0783 2 31	ITS FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	506.000
	0783 2 32	ITS FIBER OPTIC CONNECTION, INSTALL, TERMINATION	EA	756.000
	0783 3 11	ITS FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	30.000
	0783 3 12	ITS FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE, TRAY	EA	53.000
	0783 3 13	ITS FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	306.000
	0783 3 14	ITS FIBER OPTIC CONNECTION HARDWARE, F&I, BUFFER TUBE FAN OUT KIT	EA	35.000
	0783 3 16	ITS FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL, FIELD TERMINATED	EA	33.000
	0783 3 17	ITS FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL	EA	45.000
	0783 4111	ITS CONDUIT, F& I, ABOVEGROUND	LF	1,327.000
	0783 4112	ITS CONDUIT, F& I, UNDERGROUND	LF	90,960.000
	0783 4113	ITS CONDUIT, F& I, UNDER EXISTING PAVEMENT SAWCUT	LF	536.000
	0783 4160	ITS CONDUIT, REMOVE&DISPOSE	LF	4,426.000
	0783 5 1	ITS PULL BOX FOR FIBER OPTIC CABLE, FURNISH AND INSTALL	EA	65.000
	0783 5 4	ITS PULL BOX FOR FIBER OPTIC CABLE, RELOCATE	EA	6.000
	0783 5 5	ITS PULL BOX FOR FIBER OPTIC CABLE, ADJUST AND MODIFY	EA	5.000
	0783 6 1	ITS SPLICE BOX FOR FIBER OPTIC CABLE, F & I	EA	30.000
	0783 6 6	ITS SPLICE BOX FOR FIBER OPTIC CABLE, REMOVE AND DISPOSE	EA	4.000
	0783 7 1	ITS PULL & JUNCTION BOX, FURNISH AND INSTALL	EA	66.000
	0783 7 7	ITS PULL & JUNCTION BOX, REMOVE & STOCKPILE	EA	9.000
	0783 8 1	ITS MULTI-CONDUCTOR COMMUNICATION CABLE, F&I	LF	6,276.000
	0783 8 4	ITS MULTI-CONDUCTOR COMMUNICATION CABLE, RELOCATE	LF	2,240.000
	0784 1 1	ITS MANAGED FIELD ETHERNET SWITCH, F&I	EA	25.000
	0784 2 1	ITS DEVICE SERVER, F&I	EA	3.000
	0784 3 11	ITS DIGITAL VIDEO ENCODER WITH SOFTWARE DECODER, F&I, HARDENED ENCODER	EA	15.000
	0784 5 11	ITS MANAGED ETHERNET HUB SWITCH,F&I, LONG HAUL	EA	1.000
	0785 1 12	ITS POLE, F&I, STEEL WITH LOWERING DEVICE	EA	15.000
	0785 1 14	ITS POLE, F&I, STEEL WITHOUT LOWERING DEVICE	EA	7.000
	0785 2141	ITS FIELD CABINET, F&I, TYPE 336S WITH SUNSHIELDS, POLE MOUNT	EA	4.000
	0785 2162	ITS FIELD CABINET, F&I, TYPE 332 W/SUNSHIELDS, GROUND MOUNT	EA	21.000
	0785 2400	ITS FIELD CABINET, RELOCATE	EA	2.000
	0786 1 11	ITS VEHICLE DETECTION SYSTEM, F&I, MICROWAVE	EA	26.000